

My Checklist

- Slides
- WB converted fro PowerPoint
- Flash cards
- Properties
- Page numbers
- 1st minute quiz
- Web Calendar summary
- Web book pages
- Commands
- Lab 3 tested
- Schedule lock of turnin directory and submit
- Census done
- Microsoft and VMware web store accounts made
- CIS Lab schedule published
- cis90-students alias in /etc/aliases + newaliases command
- Welcome ready for mailing
- Lab 3 historical events ready for mailing
- sun-hwa-iii ice cream and accounts
- rhea activity
- 9V backup battery for microphone
- Backup slides, CCC info, handouts on flash drive



Student Learner Outcomes

1. Navigate and manage the UNIX/Linux file system by viewing, copying, moving, renaming, creating, and removing files and directories.
2. Use the UNIX features of file redirection and pipelines to control the flow of data to and from various commands.
3. With the aid of online manual pages, execute UNIX system commands from either a keyboard or a shell script using correct command syntax.

Introductions and Credits



Jim Griffin

- Created this Linux course
- Created Opus and the CIS VLab
- Jim's site: <http://cabrillo.edu/~jgriffin/>



Rich Simms

- HP Alumnus
- Started teaching this course in 2008 when Jim went on sabbatical
- Rich's site: <http://simms-teach.com>

And thanks to:

- John Govsky for many teaching best practices: e.g. the First Minute quizzes, the online forum, and the point grading system (<http://teacherjohn.com/>)



Student checklist (How to attend from home or in the classroom)

- 1) Browse to the CIS 90 website Calendar page
 - <http://simms-teach.com>
 - Click CIS 90 link on left panel
 - Click Calendar link near top of content area
 - Locate today's lesson on the Calendar
- 2) Download the presentation slides for today's lesson for easier viewing
- 3) Click Enter virtual classroom to join CCC Confer session
- 4) Connect to Opus using Putty or ssh command

Student checklist (How to layout your screen when attending class)

CCC Confer

Downloaded PDF of Lesson Slides


The screenshot displays a virtual classroom environment with several overlapping windows. At the top left, a browser window shows the 'Rich's Cabrillo College CIS 90 Calendar' page. In the center, a 'CCC Confer - RICH SIMMS VIRTUAL CLASSROOM' window is active, featuring a video feed of a man, a 'PARTICIPANTS' list, and a 'CHAT' window. Overlaid on the confer window is a 'Google' map showing a location in California. To the right, an 'Adobe Acrobat Pro' window displays a PDF titled 'cis90lesson01.pdf'. Below the confer window, a terminal window shows a login session to 'Opus' with a timestamp of 14:21 2015. Another terminal window below it shows a timestamp of 17:10 2015. Blue arrows point from text labels to specific elements: 'CCC Confer' points to the confer window, 'Downloaded PDF of Lesson Slides' points to the Adobe Acrobat window, 'CIS 90 website Calendar page' points to the browser window, and 'One or more login sessions to Opus' points to the terminal windows.

CIS 90 website
Calendar page


One or more login
sessions to Opus

Student checklist (To share your desktop with the class)


1) Instructor gives you sharing privileges



2) Click overlapping rectangles icon. If white "Start Sharing" text is present then click it as well.



3) Click OK button.



4) Select "Share desktop" and click Share button.



Instructor: **Rich Simms**

Dial-in: **888-886-3951**

Passcode: **136690**



Al




Tim



Emilio



Chris



Eddie



Clara



Ryan



Ethan



Monte



Cameron




Tanner



Tess



Ahmad




Mike F.



Mario



Roberto




Diego



John



Efrain




Ivers



Django




Ian




Abraham C.



Benji




Abraham N.



Mateo



Melissa




Sean



Rich's CCC Confer checklist - setup





[] Preload White Board



[] Connect session to Teleconference

Session now connected to teleconference




[] Is recording on?



Red dot means recording

[] Use teleconferencing, not mic

Should be greyed out



Should show as this live "off hook" telephone handset icon and the Teleconferencing ... message displayed

Rich's CCC Confer checklist - app layout




The screenshot displays a Windows desktop environment with several applications open. A red box labeled "foxit for slides" points to a Foxit Reader window displaying a PDF document. Another red box labeled "chrome" points to a Chrome browser window showing a webpage with flashcard questions. A third red box labeled "vSphere Client" points to a vSphere Client window showing a list of virtual machines. A fourth red box labeled "putty" points to a terminal window showing a login prompt. The desktop also features a CCC Confer window with a video feed, a file explorer window, and a taskbar with various icons. The system clock in the bottom right corner shows 6:52 AM on 10/10/2012.

[] layout and share apps






Rich's CCC Confer checklist - video



[] Video (webcam)

[] Make Video Follow Moderator Focus


Rich's CCC Confer checklist - Elmo



Elmo rotated down to view side table




Run and share the Image Mate program just as you would any other app with CCC Confer



The "rotate image" button is necessary if you use both the side table and the white board.

Quite interesting that they consider you to be an "expert" in order to use this button!

Elmo rotated up to view white board




Rich's CCC Confer checklist - universal fix




Universal Fix for CCC Confer:

- 1) Shrink (500 MB) and delete Java cache
- 2) Uninstall and reinstall latest Java runtime


Control Panel (small icons)




General Tab > Settings...



500MB cache size



Delete these



Google Java download



First Minute Quiz

Please answer these questions **in the order** shown:

Use CCC Confer White Board

email answers to: risimms@cabrillo.edu

(answers must be emailed within the first few minutes of class for credit)

Electronic Mail

Objectives	Agenda
• Learn how to use the UNIX communication tools write and mail. • Overview on end-to-end email.	• Quiz • Questions from last week • Mini review • Housekeeping • Write • Basic Mail • More on Mail • End-to-end email • Other MUAs, MTAs, DA and AAs • Wrap up

Class Activity

```
( 'v' )  
//--\\  
( \_ = \_ / )  
~~  ~~
```

```
Welcome to Opus  
Serving Cabrillo College
```

If you haven't already,
log into Opus

Questions

Questions?

Lesson material?

Labs? Tests?

How this course works?

- Graded work in home directories
- Answers in /home/cis90/answers

Who questions much, shall learn much, and retain much.

- Francis Bacon

If you don't ask, you don't get.

- Mahatma Gandhi

Chinese
Proverb

他問一個問題，五分鐘是個傻子，他不問一個問題仍然是一個傻瓜永遠。

He who asks a question is a fool for five minutes; he who does not ask a question remains a fool forever.


Survey Results



Submitted, but
blank = 1




No survey
submitted = 5




Submitted = 24

To get your LOR code name submit your survey


Forum Results



Registered but no
posts = 6




Not registered = 6



Posted = 18

First posting quarter ends next week for up to 20 points

Quiz 1 Results




No quiz
submitted = 12



Submitted, but answers
not in order or incorrect
= 2



Submitted, but too late = 2




Submitted with correct
answers in order = 14

*To see answers use: **cat /home/cis90/answers/quiz01** on Opus. To prepare for the next quiz use the forum to discuss answers to the quiz questions which are always published a week in advance.*

Opus login Results



Have not
logged in = 4




Have logged in = 26


Contact me if you are having trouble logging into Opus.

See login credentials link in Welcome announcement in BlackBoard for information on how to login to the CIS 90 systems.

Lab 1 Results



No lab submitted = 8



Lab submitted = 22

To see answers use: **cat /home/cis90/answers/lab01** on Opus
To see graded lab use: **cat lab01.graded** (then scroll back to start) on Opus

If you ran into trouble getting started ask for help on the forum or come over to the CIS Lab where assistants are waiting to answer your questions.

Subtle Stuff



Putty to:
rsimms@oslab.cis.cabrillo.edu
vs **oslab.cis.cabrillo.edu**

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)	Port
rsimms@oslab.cis.cabrillo.edu	2220

Connection type:

☐ Raw ☐ Telnet ☐ Rlogin ☒ SSH ☐ Serial

172.30.1.1 - PuTTY

```
Using username "rsimms".  
rsimms@oslab.cabrillo.edu's password: [REDACTED]
```

If you specify the username in Putty you won't be prompted for it, just the password.

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)	Port
oslab.cis.cabrillo.edu	2220

Connection type:

☐ Raw ☐ Telnet ☐ Rlogin ☒ SSH ☐ Serial

172.30.1.1 - PuTTY

```
login as: [REDACTED]
```

If you specify only the hostname in Putty you get prompted for both username and password.

Tip: Use the Putty "Saved Sessions" for your Opus connection. Then you don't have to type in the username, hostname and port number each time you connect to Opus.



ssh arya-xx vs ssh cis90@arya-xx

(your Opus accounts are NOT on the Arya systems)

```

simben90@oslab:~
/home/cis90/simben $ ssh arya-35
simben90@arya-35's password:
Permission denied, please try again.
simben90@arya-35's password:
Permission denied, please try again.
simben90@arya-35's password:
Permission denied (publickey)
/home/cis90/simben $

cis90@Arya-35: ~
/home/cis90/simben $ ssh cis90@arya-35
cis90@arya-35's password:
Welcome to Ubuntu 14.04.1 LTS (GNU/Linux 3.13.0-35-generic x86_64)

* Documentation:  https://help.ubuntu.com/
  
```

Benji is logged in as simben90 on Opus tries and fails to ssh into Arya-35 as simben90

Benji is logged in as simben90 on Opus tries and succeeds to uses ssh into Arya-35 as cis90

If you don't specify the username the **ssh** command will use the username you are currently logged in as. This account may not exist on the remote system!

type and man caveats

Usually, to find the location of a command on your path, use the **type** command:


```
/home/cis90/simben $ type hostname  
hostname is /bin/hostname
```

 *The hostname program
file is in the /bin directory*

type and man caveats

Usually, to find the manual page for a command, use the **man** command:

```
/home/cis90/simben $ man hostname
```



```
simmsben@opus:~
HOSTNAME(1)                                Linux Programmer's Manual          HOSTNAME(1)

NAME
hostname - show or set the system's host name
domainname - show or set the system's NIS/YP domain name
dnsdomainname - show the system's DNS domain name
nisdomainname - show or set system's NIS/YP domain name
ypdomainname - show or set the system's NIS/YP domain name

SYNOPSIS
hostname [-v] [-a] [--alias] [-d] [--domain] [-f] [--fqdn] [-i]
[--ip-address] [--long] [-s] [--short] [-y] [--yp] [--nis] [-n]
[--node]

hostname [-v] [-F filename] [--file filename] [hostname]
domainname [-v] [-F filename] [--file filename] [name]
nodename [-v] [-F filename] [--file filename] [name]
hostname [-v] [-h] [--help] [-V] [--version]

dnsdomainname [-v]
nisdomainname [-v]
ypdomainname [-v]

DESCRIPTION
Hostname is the program that is used to either set or display the
current host, domain or node name of the system. These names are
used by many of the networking programs to identify the machine.
The domain name is also used by NIS/YP.
```

Command Review

However,

Sometimes you may get something different than expected with the **type** and **man** commands

type and man caveats

```
/home/cis90/simmsben $ type ls  
ls is aliased to `ls --color=tty`
```

If the command is an alias (which we will learn about later) the type command by default doesn't show where the command resides on the path

```
/home/cis90/simmsben $ type -a ls  
ls is aliased to `ls --color=tty`  
ls is /bin/ls
```

*To get around that use the **-a** option*

The ls program file resides in the /bin directory


*The **ls** command is aliased, use the **-a** option on the **type** command to find where the command resides on the path*

type and man caveats

```
/home/cis90/simben $ type history
history is a shell builtin
```

*The **history** command is built into the shell and does not have its own program file*

```
/home/cis90/simben $ man history
```



```
simmsben@opus:~
BASH_BUILTINS(1)
NAME
    bash, :, ., [, alias, bg, bind, break, builtin, cd, command, compgen,
    complete, continue, declare, dirs, disown, echo, enable, eval, exec,
    exit, export, fc, fg, getopts, hash, help, history, jobs, kill, let,
    local, logout, popd, printf, pushd, pwd, read, readonly, return, set,
    shift, shopt, source, suspend, test, times, trap, type, typeset,
    ulimit, umask, unalias, unset, wait - bash built-in commands, see
    bash(1)
BASH BUILTIN COMMANDS
    Unless otherwise noted, each builtin command documented in this section
    as accepting options preceded by - accepts -- to signify the end of the
    options. For example, the :, true, false, and test builtins do not
    accept options. Also, please note that while executing in non-interac-
    tive mode and while in posix mode, any special builtin (like ., :,
    break, continue, eval, exec, exit, export, readonly, return, set,
    shift, source, times, trap, unset) exiting with a non-zero status
    causes the shell to stop execution.
    : [arguments]
        No effect; the command does nothing beyond expanding arguments
        and performing any specified redirections. A zero exit code is
```

*The **history** command does not have its own man page either!*

... but it is included in the man page for bash builtins

Mini Review

Expectation Check

Commands you should understand and be comfortable using

Lesson/Lab 1		Lesson/Lab 2	
Commands	Files & Directories	Commands	Files & Directories
cal clear date exit history hostname id ps ssh uname tty who who am i	/etc/issue /etc/*-release	apropos banner bash bc cat cd echo env file finger info file ls passwd set type man whatis	/bin /usr/bin /sbin /usr/sbin /etc/passwd /etc/shadow

If you have any questions on these commands, post a question on the forum!

Class Activity

In what file are all the encrypted passwords kept?

Put your answer in the chat window

The **ssh** command is used to login as *username* on a remote UNIX/Linux system named *hostname* via a firewall *port* as follows:

ssh -p *port* *username*@*hostname*

Examples:

```
ssh -p 2220 simben90@son-of-opus.simms-teach.com
```

```
ssh -p 22 cis90@rhea.cishawks.net
```

Shortcuts:

- If the port is 22, then it does not need to be specified
- If the username is the same on the remote system it can be left off
- If domain suffixes are automatically added they can be left off

For example Benji could use either command below to log into daughter-of-opus from Opus:

```
ssh -p 22 simben90@daughter-of-opus.cis.cabrillo.edu
```

```
ssh daughter-of-opus
```

Class Activity


ssh to the Rhea system (port 22) and login as cis90.

What terminal device are you using on Rhea?

Put your answer in the chat window

Key components of the Linux/UNIX architecture

Users interact with the shell to run commands



Commands such as ls, cal, date, tty, id, who, etc.

Web servers, dhcp servers, word processors, etc.



The kernel manages processes, memory, file system, and the network stack and interacts with all the hardware components

Class Activity


If you haven't already, ssh to the Rhea system (port 22) and login as cis90.

What kernel is running on Rhea?

Put your answer in the chat window



Life of the Shell



- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat



Class Activity

If you haven't already, ssh to the Rhea system (port 22) and login as cis90.


1) How many directories are on your path on Rhea?

Put your answer in the chat window

1) If the shell was searching for the man command on Rhea, how many directories would it have to search to find it?

Put your answer in the chat window

Inputs and Outputs



The three file descriptors provided to every process are named **stdin**, **stdout** and **stderr**

Class Activity

If you haven't already, ssh to the Rhea system (port 22) and login as cis90.

Does the banner command on Rhea get it's input from the command line, the keyboard (stdin) or the operating system?

Put your answer in the chat window

Practice Questions sun-hwa-iii

My favorite ice cream shop



Source: http://attractions.uptake.com/blog/files/2008/10/dsc_0002.jpg

Activity

1) What command could be used on Opus to log into this remote system:

hostname: sun-hwa-iii.cis.cabrillo.edu

username: *same as your Opus username*

port: 22

Write your command in the chat window

Activity

1) What command could be used on Opus to log into this remote system:

hostname: sun-hwa-iii.cis.cabrillo.edu

username: *same as your Opus username*

port: 22

Answer: ssh sun-hwa-iii

Activity

Log into sun-hwa-iii and run the **icecream** command.

Copy the output of that command into the chat window.

Practice Test Questions

On Sun-Hwa-III, is the **icecream** command on your path?

Write your answer in the chat window

Practice Test Questions

On Sun-Hwa-III, is the **icecream** command on your path? If so what directory is it in?

If the shell can find it when you run it then it is on your path!

```
[simben90@sun-hwa-iii ~]$ icecream
```

Benji gets Marianne's Banana ice cream today!

*Use the **type** command to find the first directory on your path containing the command*

```
[simben90@sun-hwa-iii ~]$ type icecream  
icecream is /usr/local/sbin/icecream  
[simben90@sun-hwa-iii ~]$
```

Answer: YES, the **icecream** command is in the `/usr/local/sbin` directory

Practice Test Questions

On Sun-Hwa-III, what kind of a file is the **icecream** command?

Write your answer in the chat window

Practice Test Questions

On Sun-Hwa-III, what kind of file is the **icecream** command?

*Use the **file** command to probe and get extended file type information*

```
[simben90@sun-hwa-iii ~]$ file /usr/local/sbin/icecream  
/usr/local/sbin/icecream: Bourne-Again shell script, ASCII text  
executable  
[simben90@sun-hwa-iii ~]$
```

Answer: BASH shell script

Practice Test Questions

On Sun-Hwa-III, how many directories does the shell have to search to locate the **icecream** command on your path?

Write your answer in the chat window

Practice Test Questions

On Sun-Hwa-III, how many directories does the shell have to search to locate the **icecream** command on your path?

Echo the PATH environment variable to see the order of the directories on the path

```
[simben90@sun-hwa-iii ~]$ type icecream  
icecream is hashed (/usr/local/sbin/icecream)
```

```
[simben90@sun-hwa-iii ~]$ echo $PATH  
/usr/local/bin:/usr/bin:/usr/local/sbin:/usr/sbin:/home/cis90/simben  
n/.local/bin:/home/cis90/simben/bin  
[simben90@sun-hwa-iii ~]$
```

Note the colon character : is used to delimit one directory from the next

Answer: Three

- 1) /usr/local/bin
- 2) /usr/bin
- 3) /usr/local/sbin ←

Practice Test Questions

Is **icecream** a standard UNIX command?

Write your answer in the chat window

Practice Test Questions

On Sun-Hwa-III, is **icecream** a standard UNIX command?

*Use the **man** command to see if there is any documentation on **icecream***

```
[simben90@sun-hwa-iii ~]$ man icecream  
No manual entry for icecream
```

Answer: NO

Practice Test Questions

Is Sun-Hwa-iii a Linux or UNIX system?

Write your answer in the chat window

Practice Test Questions

Is Sun-Hwa-iii a Linux or UNIX system?

*Use the **uname** command to show the name of the kernel*

```
[simben90@sun-hwa-iii ~]$ uname  
Linux
```

Answer: Linux

Practice Test Questions

What distro has been installed on Sun-Hwa-iii?

Write your answer in the chat window

Practice Test Questions

What distro has been installed on Sun-Hwa-iii?

*Use **cat /etc/issue** or **cat /etc/*-release**
to show the distro*

```
[simben90@sun-hwa-iii ~]$ cat /etc/issue  
Fedora release 18 (Spherical Cow)  
Kernel \r on an \m (\l)
```

```
[simben90@sun-hwa-iii ~]$
```

Answer: Fedora 18

Using CIS VLab (Virtual Lab)

Third driving lesson

The CIS 90 System Playground

Configured for
Command Line Only



Opus



Sun-Hwa and Sun-Hwa-II

Other UNIX/Linux servers



Defiant

Lexington

Enterprise

Intrepid

Freedom

Excalibur


Son-of-Opus

Baby-Opus

Apollo

Rhea

Configured for
Graphics and Command Line



Arya-01




*Each student gets their
own Arya VM for the term*


Arya-75

*All the systems are virtual machines
(VMs) running on the CIS Lab servers.
They are available from on or off-campus*

Accessing CIS VLab VMs



CIS Lab servers on
the Aptos campus





Rich's Cabrillo College CIS Classes Home Page

[Home](#)
[Resources](#)
[Forums](#)
[CIS Lab](#)
[Blackboard](#)

[Login](#)
[Flashcards](#)
[Admin](#)

[CIS 90](#)
[Previous Classes](#)

0 days till term starts!

[Cabrillo College Web Advisor](#)
[Commands and Files](#)

[VLab RDP file](#)

[CIS 90 VLab VM Assignments](#)

[RIP Dennis Ritchie](#)

Rich Simms



Contact

- Email: risimms@cabrillo.edu
- Office hours: [directory page](#)

Fall 2013 Cabrillo Linux Classes

- Introduction to UNIX/Linux (CIS 90) - Rich teaching
- UNIX/Linux System Administration (CIS 191AB) - [Michael Matara](#) teaching

[Metal](#)
[Sitemap](#)


[Credits](#)
[Earth](#)

CIS 90 VLab Assignments

Student	Assignment
Adams, J.	Assignment 1
Adams, J.	Assignment 2
Adams, J.	Assignment 3
Adams, J.	Assignment 4
Adams, J.	Assignment 5
Adams, J.	Assignment 6
Adams, J.	Assignment 7
Adams, J.	Assignment 8
Adams, J.	Assignment 9
Adams, J.	Assignment 10
Adams, J.	Assignment 11
Adams, J.	Assignment 12
Adams, J.	Assignment 13
Adams, J.	Assignment 14
Adams, J.	Assignment 15
Adams, J.	Assignment 16
Adams, J.	Assignment 17
Adams, J.	Assignment 18
Adams, J.	Assignment 19
Adams, J.	Assignment 20
Adams, J.	Assignment 21
Adams, J.	Assignment 22
Adams, J.	Assignment 23
Adams, J.	Assignment 24
Adams, J.	Assignment 25
Adams, J.	Assignment 26
Adams, J.	Assignment 27
Adams, J.	Assignment 28
Adams, J.	Assignment 29
Adams, J.	Assignment 30
Adams, J.	Assignment 31
Adams, J.	Assignment 32
Adams, J.	Assignment 33
Adams, J.	Assignment 34
Adams, J.	Assignment 35
Adams, J.	Assignment 36
Adams, J.	Assignment 37
Adams, J.	Assignment 38
Adams, J.	Assignment 39
Adams, J.	Assignment 40
Adams, J.	Assignment 41
Adams, J.	Assignment 42
Adams, J.	Assignment 43
Adams, J.	Assignment 44
Adams, J.	Assignment 45
Adams, J.	Assignment 46
Adams, J.	Assignment 47
Adams, J.	Assignment 48
Adams, J.	Assignment 49
Adams, J.	Assignment 50
Adams, J.	Assignment 51
Adams, J.	Assignment 52
Adams, J.	Assignment 53
Adams, J.	Assignment 54
Adams, J.	Assignment 55
Adams, J.	Assignment 56
Adams, J.	Assignment 57
Adams, J.	Assignment 58
Adams, J.	Assignment 59
Adams, J.	Assignment 60
Adams, J.	Assignment 61
Adams, J.	Assignment 62
Adams, J.	Assignment 63
Adams, J.	Assignment 64
Adams, J.	Assignment 65
Adams, J.	Assignment 66
Adams, J.	Assignment 67
Adams, J.	Assignment 68
Adams, J.	Assignment 69
Adams, J.	Assignment 70
Adams, J.	Assignment 71
Adams, J.	Assignment 72
Adams, J.	Assignment 73
Adams, J.	Assignment 74
Adams, J.	Assignment 75
Adams, J.	Assignment 76
Adams, J.	Assignment 77
Adams, J.	Assignment 78
Adams, J.	Assignment 79
Adams, J.	Assignment 80
Adams, J.	Assignment 81
Adams, J.	Assignment 82
Adams, J.	Assignment 83
Adams, J.	Assignment 84
Adams, J.	Assignment 85
Adams, J.	Assignment 86
Adams, J.	Assignment 87
Adams, J.	Assignment 88
Adams, J.	Assignment 89
Adams, J.	Assignment 90
Adams, J.	Assignment 91
Adams, J.	Assignment 92
Adams, J.	Assignment 93
Adams, J.	Assignment 94
Adams, J.	Assignment 95
Adams, J.	Assignment 96
Adams, J.	Assignment 97
Adams, J.	Assignment 98
Adams, J.	Assignment 99
Adams, J.	Assignment 100

To see which Arya VM is yours use the link on the class website

Accessing CIS VLab

Rich's Cabrillo College CIS Classes Home Page

Home Resources

Login
Flashcards
Admin

CIS 90
CIS 192
Previous Classes

10 days till term starts!

Cabrillo College
Web Advisor
Commands and Files

Vlab RDP file

CIS 90 VLab VM Assignments
CIS 192 VLab Pod Assignments

RJP Dennis Ritchie

Rich Simms

Contact

- Email: risimms@cabrillo.edu
- Office hours: [directory page](#)

Spring 2013 Cabrillo Linux Classes



- Introduction to UNIX/Linux (CIS 90) - Rich Simms teaching
- UNIX/Linux Network Administration (CIS 192AB) - Rich Simms teaching

Metal Sitemap W3C XHTML 1.0 W3C CSS Credits Earth

1) Download the `vcenter.rdp` file to your desktop and then open it to access VLab.


2) Mac users will **need to install** CoRD.

3) When entering your username and password you must preface your username with the "cislab", for example Benji would use: `cislab\simben90`



Locate and select your assigned VM

CIS VLab Home View



Click VMs and Templates to get to your course VMs

Selecting and powering on your VM


The screenshot shows the vCenter - vSphere Client interface. The left pane displays a tree view of the inventory, including 'vCenter', 'CIS VLab', 'CIS 90', and 'Student VMs'. Under 'Student VMs', a list of VMs is shown, with 'Arya-04' selected. A blue arrow points from the 'Power On' icon in the toolbar to the 'Arya-04' VM in the list. Another blue arrow points from the 'Arya-04' VM to a text box containing the instruction: '1) Find and select your Arya VM'. A second text box contains the instruction: '2) If it is not powered on them then click the Power On icon on the toolbar. This icon will be grayed out if your VM is already running.' The main pane shows the 'Getting Started' page for 'Arya-04', including a 'What is a VM' section and a 'Basic Tasks' section with a 'Shut down the virtual machine' button. The bottom pane shows the 'Recent Tasks' table.

Recent Tasks

Name	Target	Status	Details	Initiated by	vCenter Server	Requested Start Time	Start Time
Initiate guest OS shutd...	Arya-11	Completed		CISLAB\simb...	vCenter	8/24/2014 12:35:17 ...	8/24/2014 12:35:1...
Initiate guest OS shutd...	Arya-10	Completed		CISLAB\simb...	vCenter	8/24/2014 12:35:13 ...	8/24/2014 12:35:1...

Note that the Arya-10 and Arya-11 VMs above are not powered on

Launching a graphical console




The screenshot shows the vCenter - vSphere Client interface. On the left, the inventory tree is expanded to show 'Student VMs' with 'Arya-04' selected. The main pane displays the 'Arya-04' summary page. A blue arrow points from a text box to the 'Launch Virtual Machine Console' icon in the toolbar. The console window is open, showing the Ubuntu 14.04 LTS login screen with the text 'CIS 90 Student' and a password field.

2) Use the Launch Virtual Machine Console icon on the toolbar for the selected VM

Recent Tasks

Name	Target	Status

Log in as
CIS 90 Student




The Arya VM





ubuntu

Shutdown using
 **> Shut Down...**



To get a graphical terminal
Terminal icon (under System Settings)



*Use right click > Profiles
to customize colors*

*Use **exit** command to
quit graphical terminal*

Command Line vs Graphical Desktop

Access the UNIX/Linux systems using:

ssh when:



- You just need a command line
- Have a low or high speed network connection
- Note: Windows users can use Putty

VLab when:

- You want a graphical desktop
- You want to use virtual terminals (the very basic black consoles)
- Note: High speed network connection is needed
- Note: Mac users can use CoRD
- Note: you may need a fix applied to your VM if you experience the dreaded "unintended repeating key" issue

VLab = using the VMware vSphere Client via a Remote Desktop (RDP) connection

Class Activity



Try logging into CIS VLab with your **own credentials**


- Find your VM
- Power it on (if it's not already)
- Open a separate console for your VM
- Login as CIS 90 Student into the graphical desktop
- Run a terminal on the graphical desktop

Virtual Terminals (consoles)


Fourth driving lesson

Virtual Terminals


- 1) While holding down Crtl--Alt keys, tap Space, then tap Fn key
- 2) or try: **chvt** *n*
- 3) or try: **sudo chvt** *n*
- 4) or try: **<alt-key>** *n*
(in an Ubuntu virtual terminal)




Ctrl--Alt-Space-F2
(for tty2)



Ctrl--Alt-Space-F3
(for tty3)





Ctrl--Alt-Space-F4
(for tty4)




Ctrl--Alt-Space-F7
(for pts/0)




Changing Virtual TTY Terminals using **VMware vSphere**





Windows PC Keyboard



While holding down Ctrl-Alt keys, tap Space, then tap Fn key*



*On some PC keyboards it is not necessary to use the Windows key



Note: This is for vSphere only. The Windows key and Space bar are not pressed for physical (non-VM) servers



Changing Virtual Terminals on VMware Linux VMs

VMware operations	
On PC Keyboard:	While holding down the Ctrl-  -Alt keys, tap spacebar then tap f1, f2, ... or f7.
On Mac keyboard:	Hold down Control and Option keys, tap the spacebar, hold down fn key (in addition to Control and Option keys) and tap f1, f2, ... or f7.

Pressing the  on some Windows keyboards may not be necessary


F7 is graphics mode for the Ubuntu VMs.

The Centos VMs do not have a graphics mode components installed (run level 3 only)

Note: the spacebar does not need to be tapped on a physical (non-VM) system. This is only required when changing virtual terminals on VMware VMs.

VMware VM Operations

Changing Virtual Terminals with a PC keyboard



On PC keyboard:

While holding down the **Ctrl**--**Alt** keys,
tap **Spacebar** then tap **F_n** key
(where *n*=1-7 to specify a function key)

VMware VM Operations


Changing Virtual Terminals with a Mac keyboard



On Mac keyboard:

While holding down the **control-option** keys
tap **Spacebar** then tap **fn-F n** keys
(where $n=1-7$ to specify a function key)

Class Activity



On your VM:

- Try changing between the graphical desktop and the TTYS
- Login as cis90 on tty1 and tty2
- Run a terminal on the graphical desktop
- Use the who command to see how many logins there are

Terminals

Hardware Terminals



Teletype (TTY)




VT100




Terminals were used in the old days to interact with "minicomputers" and "mainframe" computers.

Today we use **terminal emulators** instead that are software programs.

Software Terminals





Terminal emulators like PuTTY (with scroll bars, colors, customizable backgrounds, fonts and sizes) for Windows



Graphical terminals (with scroll bars, colors, customizable backgrounds, fonts and sizes) built into Linux/Mac computers


Virtual terminals (use ctrl-alt-fn)

Bare bones, no scroll bars,
also called a console



Various terminal devices on an Arya VM

Terminal emulators (e.g. Putty)




```
cis90@Arya-35:~$ who
cis90    tty4      2014-09-06 17:25
cis90    tty2      2014-09-06 17:25
cis90    pts/2      2014-09-06 17:20 (enterprise.cis.cabrillo.edu)
cis90    :0         2014-09-06 17:20 (:0)
cis90    pts/0      2014-09-06 17:21 (2601:9:6680:53b:4d09:e2b6:e7fc:d999)
cis90    pts/9      2014-09-06 17:22 (:0)
cis90    pts/13     2014-09-06 17:23 (:0)
```

pts=pseudo terminal,


tty=teletype

:n=an X window display number

Graphical terminals on graphical desktop



Virtual terminals





Housekeeping

Lab 2 due tonight

- Use **history -a** before using **submit**.
 - ❖ If you neglect to do this the history snapshot you send me to grade will not have the latest commands you issued.
- Submit as many times as you wish up to 11:59PM Opus time.
- Read my tips on the forum to maximize the points earned.
- No credit for late work. Submit what you have for partial credit if you run out of time.
- You can optionally use the **verify** command to see what you submitted for grading.
 - ❖ To grade, I will check your submitted history to see if you used all the commands asked for in Lab 2 as well as your answers to the three questions.

Grades posted on website

<http://simms-teach.com/cis90grades.php>

[illegible]

Grades for Quiz 1, Lab 1 and extra credit have been posted on the CIS 90 website.

Send me your survey to get your LOR code name.

At the end of the term I'll add up all your points and assign you a grade using this table:

Percentage	Total Points	Letter Grade	Pass/No Pass
90% or higher	504 or higher	A	Pass
80% to 89.9%	448 to 503	B	Pass
70% to 79.9%	392 to 447	C	Pass
60% to 69.9%	336 to 391	D	No pass
0% to 59.9%	0 to 335	F	No pass

Extra Credit

SS
SS

se. Another 90 points is available from **extra credit** assignments. Students c
erall progress on the chart below. Contact the instructor by email with any que

				Forum				Labs										Final
Q	T1	T2	T3	F1	F2	F3	F4	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	Project
3	30	30	30	20	20	20	20	30	30	30	30	30	30	30	30	30	30	60
								30										
								30										

*Note the caps
on extra credit.*



Rich's Cabrillo College CIS Classes

CIS 90 Extra Credit

[Home](#)
[Resources](#)
[Forums](#)
[CIS Lab](#)
[CTC](#)

[Login](#)
[Flashcards](#)
[Admin](#)

[CIS 90](#)
[Previous Classes](#)

95 days till term
ends!

[Cabrillo College](#)
[Web Advisor](#)
[CCC Confer](#)
[Static IPs](#)
[Quick Ref](#)
[VM Repairs](#)
[GAH!](#)

CIS 90 Extra Credit

[Course Home](#) [Grades](#)

General Options

Any combination of the following can be done to earn extra credit up to the maximum amount shown on the Grades page:

- **Web site content review** - The first person to email the instructor pointing out an error or typo on this website will get one point of extra credit per content error found. This includes any errors found on the instructor's downloaded materials that have been covered in class. It does not include lesson PowerPoints or Labs that have not yet been covered in class but are pre-published on the website. (Up to 20 points total)
- **Develop new Howtos** - Investigate and develop a Howto on a new topic area you are interested in. At the Instructor's discretion and your permission, these Howtos will be published on this web site on the Resources page. Make a proposal first to the instructor on the topic area and to determine the amount of extra credit. Submittals must follow the format of the instructor's Howtos on the Resources web page and be web publishable. (Up to 20 points per Howto)
- **Optional activities in lab assignments** - Some of the lab assignments will have optional activities that can be worked for extra credit.
- **Lab assignments** - Some courses may have one or more extra credit labs. Check the Calendar web page. (Point amount varies)

Extra Credit Howtos



Rich's Cabrillo College CIS Classes Resources

[Home](#)
[Resources](#)
[Forums](#)
[CIS Lab](#)
[CTC](#)

[Login](#)
[Flashcards](#)
[Admin](#)

[CIS 90](#)
[CIS 192](#)
[Previous Classes](#)

101 days till term ends!
[Cabrillo College](#)
[Static IPs](#)

Links

Instructors

- [Programming Master Ed](#)
- [Linux Master Jim](#)
- [Web Master John](#)
- [Network Master Gerlinde](#)
- [Network Master Rick](#)

Clubs

- [GNU Linux Users Group](#)

Departments

- [CNSA](#)
- [CIS](#)
- [CS](#)

Crib Sheets

- [Ollie Wright \(CIS 90\)](#)

Getting Linux

- [Linux ISOs](#)
- [Kernels](#)
- [RPMs](#)

Tools and Software

- [Apache](#)
- [Bastille](#)
- [cygwin](#)
- [DIAG](#)
- [diagnostics](#)
- [DOS boot disks](#)
- [John the Ripper](#)
- [MSDN Academic Alliance](#)
- [Netfilter](#)
- [Putty SSH Tools](#)
- [Tripwire](#)
- [VMware Server](#)
- [Wireshark](#)

Standards

- [IETF \(RFCs\)](#)
- [IEEE](#)

Documentation

- [TLDP](#)
- [LINFO](#)
- [Commands](#)
- [Summary](#)
- [vi summary](#)

Howtos

- [email](#)
- [DNS](#)
- [Ethernet \(NIC drivers\)](#)
- [NIS](#)
- [PPP](#)
- [NFS](#)


Student Howtos

- [Marc Romansky \(Accessing VMware remotely via Linksys Router\)](#)
- [Marc Romansky \(Accessing VMware with PuTTY\)](#)
- [Marcos Valdebenito \(VirtualBox\)](#)
- [Michael Wicherski \(Permissions\)](#)
- [Michael Wicherski \(/bin/mail\)](#)


If you have a strong interest in a topic write a Howto on it to share what you've learned and earn some extra credit at the same time



Wifi Penetration
Wireless Communication and Computer/Network Forensics




**Understanding /bin/mail :
Lost Student versus /bin/mail**



Linux Howtos
Accessing VMware remotely via Linksys Router
Fall 2008

Assumptions

- VMware server is installed and functioning on your home system.
- You have a home grade router that allows you to configure port forward
- You are able to determine the IP address of your home based system
- You are able to "hard code" and IP address on your VMware host system
- You are able to determine the IP address of your Virtual Machine



How to Install Virtual Box
Marcos Valdebenito

I. Introduction
This How To will show the installation of the Virtual Box program that can be set up in Windows XP to run a second Operating System in a single computer. Additionally, Linux OpenSUSE, will be installed to demonstrate the use of the Virtual Box.

II. What is VirtualBox?
Virtual Box is an Open Source software, is freely available, and performs as a *Virtual Machine*. It can be installed in the most popular operating systems such as Windows XP and Vista, Macintosh and Linux hosts, while additionally supporting a large number of guest operating systems such as Red Hat, Fedora, Ubuntu, OpenSUSE, Open SUSE, Debian. You can even install Windows Vista or Windows XP Guest in a Linux host without a dual boot environment... just one key will switch from Host OS to Guest OS. This is a big advantage since you can have two operating systems in the same screen at the same time without restarting your machine!

Expectation Check

Skills you should be comfortable performing


- Navigating the course website: simms-teach.com
- Entering the CCC Confer Virtual Classroom
- Reviewing video archives of the lessons
- Downloading and searching lessons PDFs
- Checking your current grade status
- Checking when assignments are due
- Checking when quizzes and tests will be held
- Finding the answers for graded labs and quizzes

- Logging into Opus from home or school using SSH
- Logging into Arya or other VMs from Opus using SSH
- Using Arya's graphical desktop via VLab
- Changing Virtual (TTY) Terminals on Arya
- Reading and making forum posts

- Parsing any shell command
- Getting documentation on any command
- Identify the four key components of the UNIX/Linux architecture
- Identify the six steps the shell does for every command
- Temporarily change your shell prompt
- Set and show values of shell variables

If you have any questions on these skills, post a question on the forum!

Got stuck or having trouble getting started in this course?




If you would like some additional come over to the CIS Lab. There are student lab assistants and instructors there to help you.

Nick and Geoff are both CIS 90 Alumni.

Tess is in our class!

Michael is the other Linux instructor.

I'm in there Wednesdays 3:00-5:30pm.



CIS 90 Tutoring Available

<http://www.cabrillo.edu/services/tutorials/>

TUTORIALS

ANNOUNCEMENTS & DEADLINES

- New subjects for Spring 2014:
- American Sign Language
- Computer Applications/Business Technology (CABT)
- Computer and Information Systems (CIS)
- History 17A

Welcome to the Tutorials Center!

We offer FREE peer tutoring to Cabrillo students who are enrolled in the course/s for which they need help.

- Tutoring is by appointment. The days and times of tutoring sessions are established by the office.
- Sessions are weekly and for the duration of the semester.
- Tutoring sessions are scheduled in small groups. Sessions last 1-2 hours depending on the class. Occasionally, sessions may be one to one but that is not guaranteed.
- Come directly to the TC office to schedule (second floor of library).

The following classes are being tutored for Spring 2014:

- Accounting 1A, 1B, 6, 54A, 151A, 159, 163
- American Sign Language (ASL) 1, 2
- Biology 4, 5, 6
- Computer Applications/Business Technology (CABT) 31, 38, 41, 101, 157, 160
- Computer and Information Systems (CIS) 81, 90, 172**
- Chemistry 1A, 1B, 2, 30A, 30B, 32

CONTACT INFORMATION

Tutorials Center

Location Room 1080A - Learning Resource Center

Phone 831.479.6470

Email tutorialscenter@cabrillo.edu

Coordinator Lori Chavez

Phone 831.479.6126

Email lochavez@cabrillo.edu

Hours Monday - Thursday: 9am - 5pm
Friday: 9am - 1pm

MAP, DIRECTIONS, & PARKING

DEPARTMENT STAFF & FACULTY DIRECTORY



Matt Smithey

All students interested in tutoring in CIS 90, 172, and 81 classes need to come directly to the Tutorials Center to schedule, register and fill out some paperwork. This is just a one-time visit.

The tutoring will take place at the STEM center and they will log in and log out on a computer you have designated (I will figure out exactly what that means).

Don't wait too long to sign up! Tutoring hours are limited!

Forum

The screenshot shows a web browser window with the URL `oslab.cishawks.net/forum/viewforum.php?f=93&sid=4f90a29022aeab31bf623a55cf7a6b51`. The forum header is blue and contains the phpBB logo, the forum title "Cabrillo College: Computer and Information Systems", and a search bar. A blue box with a white border highlights the following instructions:


- Next week is the 1st five post deadline! (worth 20 points)
- Only your posts in the **CIS 90** forum will earn points
- Make sure your username is your **full first** and **last** name, separated by a space, so you get credit for your posts

Below the instructions, a blue italicized text reads: *Email the instructor for username changes or to reset your password*.

The forum interface also shows a sidebar with "Board", "CIS 90", "Forum rules", "NEWTOPICS", "ANNOUNCEMENTS", and "TOPICS". The main content area displays a list of forum topics with columns for topic name, replies, views, and author.

Topic	Replies	Views	Author
Using step for step to transfer files	1	8	by Robert Lemon » Tue Feb 11, 2014 11:17 am
Using virtualbox for fun and education	3	46	by Robert Lemon » Sat Feb 01, 2014 3:55 pm
Microsoft and VMware academic webstores	0	8	by Rich Simms » Tue Feb 11, 2014 1:20 pm

Software for eligible CIS students



Rich's Cabrillo College CIS Classes Resources

Home Resources Forums CIS Lab Blackboard

Login
Flashcards
Admin

CIS 90
Previous Classes

95 days till term ends!

Cabrillo College
Web Advisor
Commands and Files

VLab RDP file

CIS 90 VLab VM Assignments

RIP Dennis Ritchie

Opus Status: UP

Links


Instructors - Programming Master Ed - Network Master Gerlinde - Programming Master Jeffrey - Linux Master Jim - Web Master John - Systems Master Michael - Hardware Master Marcelo - Network Master Rick - Programming Master Steve Clubs - Computer Club - Robotics Club Departments	Getting Linux/UNIX - Linux ISOs - Kernels - RPMS (rpmfind) - RPMS (phone) - OpenSolaris Tools and Software - Apache - Bastille - CoRD - cygwin - DOS boot disks - Dynamips/Dynagen - John the Ripper - Netfilter - Putty SSH Tools - Quagga routing suite - Tripwire - Wireshark Academic Software for CIS Students - Microsoft Webstore - VMware Webstore Virtualization - VirtualBox - VMware ESXi and	Commands - Practical - Command Directory - Useful - vi summary - vi cheat sheet Howtos - HowtoForge - email - DNS - Ethernet (NIC drivers) - NFS - NIS - PPP - Putty SSH Keys - Using sed Student Howtos - Monitor Script by Sean Callahan - WiFi Penetration by Ryan Schell - Logging into Opus from a Mac by Laura Sreckovic - LDAP Implementation by Tim Childers - Install and DualBoot into Microsoft Windows 7 and Linux Ubuntu by Richie Fou
---	---	--



How to obtain Microsoft and VMware software for academic use



Microsoft products for CIS students




Accounts for students enrolled in CIS 90 have been created using your WebAdvisor email addresses.

Link is on website Resources page in Tools and Software section.

Licensed for educational use only.

Happy downloading!

VMware products for CIS students



Accounts for students enrolled in CIS 90 have been created using your WebAdvisor email addresses.

Link is on website Resources page in Tools and Software section


Licensed for educational use only.

Happy downloading!

Notes to Rich



If there is enough time do some of the practice questions in the Backup section



More commands for your toolbox



Lesson 3 commands for your toolbox

write

"chat" with another user by writing to their terminal

mesg

enable/disable writes to your terminal

mail

send and read email

Write Command

Use the write command to chat with another user



```
simben90@oslab:~  
/home/cis90/simben $ write milhom90  
What's up?  
  
Message from milhom90@oslab.cishawks.net on pts/1 at 09:30 ...  
Not much ... want to run around and bark for awhile?  
Sure, meet you in the park in 5 mins  
Ok  
EOF  
/home/cis90/simben $ ^C  
/home/cis90/simben $
```



```
milhom90@oslab:~  
Message from simben90@oslab.cishawks.net on pts/0 at 09:30 ...  
What's up?  
write simben90  
Not much ... want to run around and bark for awhile?  
Sure, meet you in the park in 5 mins  
Ok  
/home/cis90/milhom $ EOF  
/home/cis90/milhom $
```

write command

send a message to another user

Syntax:

write *username* [*ttyname*]

- Use *ttyname* if there are multiple logins by the target username
- The receiver sees:

Message from *yourname@yourhost* on *yourtty* at *hh:mm* ...

- Each line you type gets sent to the other user's terminal
- To end sending message type Ctrl-D (Hold down Ctrl and tap D key)
 - The receiver will see an EOF (end of file) at the end
- If the receiver wants to reply then they must use the **write** command as well
- Use **mesg n** (to block incoming messages)
- Use **mesg y** (to allow incoming messages)

write command

send a message to another user

```
/home/cis90/simben $ type write  
write is /usr/bin/write
```

The write command resides in the /usr/bin directory


```
/home/cis90/simben $ file /usr/bin/write  
/usr/bin/write: setgid ELF 32-bit LSB shared object, Intel 80386,  
version 1 (SYSV), dynamically linked (uses shared libs), for  
GNU/Linux 2.6.18, stripped
```

The write command is a binary executable

write command

send a message to another user

```
/home/cis90/simben $ man write
```



The screenshot shows a terminal window titled 'simben90@oslab:~'. The terminal displays the output of the 'man write' command. The window has a title bar with standard Linux window controls (minimize, maximize, close). The content is formatted as a man page with sections: NAME, SYNOPSIS, and DESCRIPTION. The text is in a monospaced font, typical of terminal output.

```
WRITE (1)                                Linux Programmer's Manual                                WRITE (1)

NAME

    write - send a message to another user

SYNOPSIS

    write user [ttyname]

DESCRIPTION

    Write allows you to communicate with other users, by copy-
    ing lines from your terminal to theirs.

    When you run the write command, the user you are writing
    to gets a message of the form:

        Message from yourname@yourhost on yourtty at hh:mm
        ...

    Any further lines you enter will be copied to the speci-
    fied user's terminal. If the other user wants to reply,
    they must run write as well.

    When you are done, type an end-of-file or interrupt char-
    acter. The other user will see the message EOF indicating
    that the conversation is over.

    You can prevent people (other than the super-user) from
    writing to you with the mesg(1) command. Some commands,
    for example nroff(1) and pr(1), may disallow writing auto-
    matically, so that your output isn't overwritten.
```

Use the **man** command to review how the write command works.

write command

simben90 writes to milhom90



*Benji, uses the **who** command to see the current users logged into Opus. He sees his friend Homer is logged in twice.*

```
/home/cis90/simben $ who
srelau98 pts/0      2012-09-11 06:36 (anice-34-27-241-136.wanadoo.fr)
simben90 pts/1      2012-09-11 06:47 (42-15-94-107.dsl.com)
alvdes98 pts/2      2012-09-11 07:49 (c-25-14-136-111.comcast.net)
milhom90 pts/3      2012-09-11 08:03 (42-15-94-107.dsl.com)
milhom90 pts/4      2012-09-11 08:09 (42-15-94-107.dsl.com)
```



*Homer, ever curious, uses the **tty** command to see what terminal device he is currently using*

```
/home/cis90/milhom $ tty
/dev/pts/4
/home/cis90/milhom $
```

write command

simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90
```

1) Benji enters this

```
write: milhom90 is logged in more than once; writing to pts/4
```



```
/home/cis90/milhom $
```

```
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
```

2) Homer sees this appear on his terminal

write command

simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?
```

1) Benji enters this



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?
```

2) Homer sees this appear on his terminal

write command

simben90 writes to milhom90



```
/home/cis90/milhom $
```

```
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
```

```
What do you think of the new CentOS distro?
```

```
write simben90
```

1) Homer enters this



```
/home/cis90/simben $ write milhom90
```

```
write: milhom90 is logged in more than once; writing to pts/4
```

```
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
```

2) and Benji sees this appear on his terminal

write command

simben90 writes to milhom90




```
/home/cis90/milhom $
```

```
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
```

```
What do you think of the new CentOS distro?
```

```
write simben90
```

```
What's with the periods on the long listing permissions?
```



1) Homer enters this



```
/home/cis90/simben $ write milhom90
```

```
write: milhom90 is logged in more than once; writing to pts/4
```

```
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
```

```
What's with the periods on the long listing permissions?
```



2) and Benji sees this appear on his terminal

write command

simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90
write: milhom90 is logged in more than once; writing to pts/4
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
What's with the periods on the long listing permissions?
```

```
I think it's SELinux
```

1) Benji enters this



```
/home/cis90/milhom $
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
What do you think of the new CentOS distro?
write simben90
What's with the periods on the long listing permissions?
I think it's SELinux
```

2) Homer sees this appear on his terminal

write command

simben90 writes to milhom90



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?  
write simben90  
What's with the periods on the long listing permissions?  
I think it's SELinux  
Talk to you later, I'm going to bark a little and take a nap
```

1) Homer enters this



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?  
  
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...  
What's with the periods on the long listing permissions?  
I think it's SELinux  
Talk to you later, I'm going to bark a little and take a nap
```

2) and Benji sees this appear on his terminal

write command

simben90 writes to milhom90



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?  
write simben90  
What's with the periods on the long listing permissions?  
I think it's SELinux  
Talk to you later, I'm going to bark a little and take a nap  
Ctrl-D ← 1) Homer issues a Ctrl-D (holds down Ctrl  
key, then taps D key)  
/home/cis90/milhom $
```



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?  
  
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...  
What's with the periods on the long listing permissions?  
I think it's SELinux  
Talk to you later, I'm going to bark a little and take a nap  
EOF ← 2) and Benji sees this appear on his terminal
```

write command

simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90
write: milhom90 is logged in more than once; writing to pts/4
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
EOF
```

bye ← 1) Benji enters this



```
/home/cis90/milhom $
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
What do you think of the new CentOS distro?
write simben90
```

```
What's with the periods on the long listing permissions?
I think it's SELinux
```

```
Talk to you later, I'm going to bark a little and take a nap
```

```
/home/cis90/milhom $ bye ← 2) Homer sees this written to his terminal
```

write command

simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90
write: milhom90 is logged in more than once; writing to pts/4
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
EOF
bye
Ctrl-D
```

1) Benji issues a Ctrl-D (holds down Ctrl key, then taps D key)

```
/home/cis90/simben $
```



```
/home/cis90/milhom $
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
What do you think of the new CentOS distro?
write simben90
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
/home/cis90/milhom $ bye
EOF
```

2) and Homer sees this appear on his terminal

mesg command


mesg y enables and **mesg n** disables writes to your terminal



```
/home/cis90/milhom $ mesg n
```



1) Homer disables writes to his terminal so he can take his nap



```
/home/cis90/simben $ write milhom90  
write: milhom90 has messages disabled
```

2) Benji discovers that Homer is no longer accepting messages

who command

The -T option shows who is writeable

The -T option shows users messages status

```
/home/cis90/simben $ who -T
srelau98 + pts/0          2012-09-11 06:36 (anice-34-27-241-136.wanadoo.fr)
simben90 + pts/1          2012-09-11 06:47 (42-15-94-107.dsl.com)
alvdes98 + pts/2          2012-09-11 07:49 (c-25-14-136-111.comcast.net)
milhom90 - pts/3          2012-09-11 08:03 (42-15-94-107.dsl.com)
milhom90 - pts/4          2012-09-11 08:09 (42-15-94-107.dsl.com)
```

+ indicate writes to this user are enabled and - indicates writes to this user are blocked

```
/home/cis90/simben $ ls -l /dev/pts*
total 0
crw--w----. 1 srelau98 tty 136, 0 Sep 11 08:15 0
crw--w----. 1 simben90 tty 136, 1 Sep 11 08:25 1
crw--w----. 1 alvdes98 tty 136, 2 Sep 11 08:25 2
crw-- --. 1 milhom90 tty 136, 3 Sep 11 08:19 3
crw-- --. 1 milhom90 tty 136, 4 Sep 11 08:19 4
c----- . 1 root root 5, 2 Jul 30 21:25 ptmx
```

We will learn about file wildcards and permissions later.

This is a just a preview showing that write permission is removed from /dev/pts/3 and /dev/pts/4 for the tty group.

Class Exercise

write and mesg

- Students, please login to Opus using your own accounts
- Rich, run the pairs script to pair up all the CIS 90 students.
- Students, use the write command to "chat" with your pair mate. e.g. **write** *username*
- Students, ask your pair mate for their real first name and put that in the chat window.
- End the chat session with Ctrl-D

Note to Rich:

Run **pairs** alias (script in /home/rsimms/cis90/lab03/scripts directory)

Sending Mail

UNIX mail

Sending messages

mail *recipient1 recipient2 ... recipientN*

The mail command can be used to send an email to one or more recipients. Each argument designates a recipient specified by a username (in /etc/passwd), a normal email address, or an alias (in /etc/aliases).

Examples:

mail **rsimms** *username as argument*

mail **simben90 prites90 mcgmon90** *multiple usernames as arguments*

mail **richsimms@yahoo.com feredu90** *regular email address and
username as arguments*

mail **\$LOGNAME** *your username, specified using a variable, as argument*

mail **cis90-students** *an alias (used as a distribution list)
for all CIS 90 students*

UNIX mail

Sending messages

```
/home/cis90/simben $ type mail  
mail is /bin/mail
```

The mail program is on the path and in the /bin directory.

```
/home/cis90/simben $ file /bin/mail  
/bin/mail: symbolic link to `mailx'
```

It is a "symbolic link" (we learn about these later) to the mailx program.

```
/home/cis90/simben $ type mailx  
mailx is /bin/mailx
```

The mailx program file is also in the /bin directory.

```
/home/cis90/simben $ file /bin/mailx  
/bin/mailx: ELF 32-bit LSB executable, Intel 80386, version 1  
(SYSV), dynamically linked (uses shared libs), for GNU/Linux  
2.6.18, stripped
```

The mailx program is a binary executable.

UNIX mail

Sending messages

As an example, Benji sends an email to Homer (a user on Opus) and Rich (using his Yahoo email address)

Homer
(milhom90)



Rich
(richsimms@yahoo.com)



Benji
(simben90)

```
/home/cis90/simben $ mail milhom90 richsimms@yahoo.com
```

```
Subject: Where is the old bone
```

```
I can't find my old bone. Let me know if you see it.
```

```
Thanks,
```

```
Benji
```

```
.
```

```
EOT
```

```
/home/cis90/simben $
```

Use Ctrl-D or a single period to end the message (End Of Text)

Recipients can be Opus users (just specify their username) or regular email addresses.

Class Exercise

UNIX mail

- Login to Opus
- Send me a message

```
/home/cis90/simben $ mail rsimms  
Subject: Hello  
This mail program is pretty crazy!  
.  
/home/cis90/simben $
```

Notes to Rich



[] - Send out Welcome letter

use **welcome** alias or

~rsimms/cis90/lab03/scripts/uhist/mail-welcome

[] - Test cis90-students alias

Reading Mail

UNIX mail

Reading messages

Syntax:

mail

To read mail, enter the mail command with no arguments. The mail command has its own mini-shell with its own set of mail oriented commands.

UNIX Mail

Reading messages



Homer
(milhom90)

```
/home/cis90/milhom $
```

```
You have new mail in /var/spool/mail/milhom90
```

Homer notices he has received new mail and runs the mail command to see what has arrived

```
/home/cis90/milhom $ mail
```

```
Heirloom Mail version 12.4 7/29/08. Type ? for help.
```

```
"/var/spool/mail/milhom90": 1 message 1 new
```

```
>N 1 Benji Simms Tue Sep 11 12:59 22/830 "Where is the old bone"
```

```
& 1
```

He types 1 to read message 1

```
Message 1:
```

```
From simben90@oslab.cabrillo.edu Tue Sep 11 12:59:27 2012
```

```
Return-Path: <simben90@oslab.cabrillo.edu>
```

```
From: Benji Simms <simben90@oslab.cabrillo.edu>
```

```
Date: Tue, 11 Sep 2012 12:59:27 -0700
```

```
To: richsimms@yahoo.com, milhom90@oslab.cabrillo.edu
```

```
Subject: Where is the old bone
```

```
User-Agent: Heirloom mailx 12.4 7/29/08
```

```
Content-Type: text/plain; charset=us-ascii
```

```
Status: R
```

```
I can't find my old bone. Let me know if you see it.
```

```
Thanks,
```

```
Benji
```

The N signifies a new message


The & is the mail prompt

UNIX mail

Reading messages sent from UNIX mail



Rich
(richsimms@yahoo.com)



*Rich reads the
email from Benji
using Yahoo mail
(a mail user agent)*

Class Exercise

UNIX mail

- Read your own mail by typing the **mail** command by itself
- Enter the number of the message to print a message.
1
2
- Use the **q** command to exit

Tip: You can just hit the Enter key by itself to read the next unread message.

Replying to Mail

UNIX Mail

Replying to messages



Homer
(milhom90)

< continued from above >

I can't find my old bone. Let me know if you see it.
Thanks,
Benji

& **r 1**
To: milhom90@oslab.cabrillo.edu richsimms@yahoo.com
simben90@oslab.cabrillo.edu
Subject: Re: Where is the old bone

Benji Simms <simben90@oslab.cabrillo.edu> wrote:

> I can't find my old bone. Let me know if you see it.
> Thanks,
> Benji

**I think its under the sink
- Homer**

.

EOT

&

*After reading the message
from Benji, Homer replies
with the mail **r** command
(for reply to all).*

UNIX Mail

Benji gets the reply from Homer



Benji
(simben90)

```
You have mail in /var/spool/mail/simben90
/home/cis90/simben $ mail
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"/var/spool/mail/simben90": 1 message 1 unread
>U 1 Homer Miller          Tue Sep 11 13:35  30/1096  "Re: Where is the old bone"
& 1
Message 1:
From milhom90@oslab.cabrillo.edu  Tue Sep 11 13:35:30 2012
Return-Path: <milhom90@oslab.cabrillo.edu>
From: Homer Miller <milhom90@oslab.cabrillo.edu>
Date: Tue, 11 Sep 2012 13:35:30 -0700
To: simben90@oslab.cabrillo.edu, richsimms@yahoo.com,
    milhom90@oslab.cabrillo.edu
Subject: Re: Where is the old bone
User-Agent: Heirloom mailx 12.4 7/29/08
Content-Type: text/plain; charset=us-ascii
Status: RO

Benji Simms <simben90@oslab.cabrillo.edu> wrote:

> I can't find my old bone.  Let me know if you see it.
> Thanks,
> Benji
I think its under the sink
- Homer
```

*Benji notices he
has new mail
which he reads
using the mail
command (with no
arguments) and
then typing the
message number
he wants to read*



Rich
(richsimms@yahoo.com)

UNIX Mail

The screenshot shows a web browser window with several tabs open. The active tab is the Yahoo! Mail inbox. The inbox list shows several emails, with the top one selected: "Re: Where is the old bone" from Homer Miller, dated Tuesday, September 11, 2012 1:38 PM. The email content shows a reply from Benji Simms to Homer Miller, discussing a missing "old bone".

FROM	SUBJECT	DATE
Homer Miller	Re: Where is the old bone	1:38 PM
Benji Simms	Where is the old bone	1:02 PM
Microsoft Security	Smartphones: Important safety information	12:53 PM
ECT News Network	Holiday Readiness Handbook 2012 - 300 Compa...	10:54 AM
Steve Hodnes	Re: Dent Meeting 9/21-Reschedule	10:01 AM

Re: Where is the old bone

FROM: Homer Miller

TO: simben90@oslab.cabrillo.edu, richsimms@yahoo.com, milhom90@oslab.cabrillo.edu

Tuesday, September 11, 2012 1:38 PM

Benji Simms <simben90@oslab.cabrillo.edu> wrote:

> I can't find my old bone. Let me know if you see it.
 > Thanks,
 > Benji
 I think its under the sink
 - Homer

*Since Homer
replied to all,
Rich also gets a
copy*

Class Exercise

UNIX mail

- Use **ls /home/cis90** to see all CIS 90 home directories (add "90" to get the usernames) or the **who** command and send an email to three other CIS 90 students (your choice) in one message.

Hint: use **mail** *user1 user2 user3*

- Reply to any emails you get (run **mail** and use the **r** command)

Saving Mail to a Folder

UNIX Mail

Saving messages

```
/home/cis90/simben $ mail ← Benji checks for new mail
Heirloom Mail version 12.4 7/29/08. Type ? for help.
"/var/spool/mail/simben90": 1 message 1 new
>N 1 Homer Miller      Tue Sep 11 21:04  21/830  "Salsa"
& 1 ← Prints the first (and only) message
Message 1:
From milhom90@oslab.cabrillo.edu  Tue Sep 11 21:04:16 2012
Return-Path: <milhom90@oslab.cabrillo.edu>
From: Homer Miller <milhom90@oslab.cabrillo.edu>
Date: Tue, 11 Sep 2012 21:04:16 -0700
To: simben90@oslab.cabrillo.edu
Subject: Salsa
User-Agent: Heirloom mailx 12.4 7/29/08
Content-Type: text/plain; charset=us-ascii
Status: R

Don't forget, salsa class tonight at the Palomar
- Homer

& s 1 archives ← Saves this message to a folder named "archives"
"archives" [New file] 23/851
& q
```

Browsing a mailbox file (folder)

UNIX mail

Browse mailbox files using the -f option

use the f option to specify a mailbox file (folder)



```
/home/cis90/simben $ mail -f archives
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"archives": 5 messages 4 new
   1 Homer Miller      Tue Sep 11 21:04  22/841  "Salsa"
>N  2 Homer Miller      Tue Sep 11 21:25  20/790  "Hola"
   N  3 Rich Simms       Tue Sep 11 21:58  20/752  "Treasure"
     4 Rich Simms       Tue Sep 11 22:01  21/798  "Lab Hours on Monday"
   N  5 Rich Simms       Tue Sep 11 22:01  20/796  "Where were you last
summer?"
&
```

Opening a mailbox file named archives which has multiple messages

Forwarding Mail

mail commands

Forwarding a message with ~m

```
rsimms@opus:~$ mail
Mail version 8.1 6/6/93. Type ? for help.
"/var/spool/mail/rsimms": 5 messages 1 unread
>U 1 jimg@opus.cabrillo.e  Sun Jun 22 13:53  22/836  "Hot days and servers"
   2 simmsmar@opus.cabril  Thu Jul 24 12:28  19/739  "Don't forget to bring"
   3 simmsben@opus.cabril  Thu Jul 24 12:27  17/708  "Nisene Hike"
   4 rsimms@opus.cabrillo  Thu Jul 24 12:33  21/819  "Re: Hot days and serv"
   5 roddyduk@opus.cabril  Thu Jul 24 15:41  19/702  "Salsa"
& m simmsben
Subject: re: Salsa
Hi Benji,

Did you see this:
~m5
Interpolating: 5
(continue)

Later,

- Rich
.
Cc:
&
```

*This is how
you forward
message 5*

*Tip: Use this to
send the event
you get from
the instructor
to others for
Lab 3*

```
simmsben@opus:~$ mail
/home/cis90/simmsben $ mail
Mail version 8.1 6/6/93. Type ? for help.
"/var/spool/mail/simmsben": 1 message 1 new
>N 1 rsimms@opus.cabrillo  Thu Jul 24 18:51  33/935  "re: Salsa"
& p 1
Message 1:
From rsimms@opus.cabrillo.edu  Thu Jul 24 18:51:55 2008
Date: Thu, 24 Jul 2008 18:51:55 -0700
From: Rich Simms <rsimms@opus.cabrillo.edu>
To: simmsben@opus.cabrillo.edu
Subject: re: Salsa

Hi Benji,

Did you see this:

From roddyduk@opus.cabrillo.edu  Thu Jul 24 15:41:35 2008
Date: Thu, 24 Jul 2008 15:41:35 -0700
From: Duke Roddy <roddyduk@opus.cabrillo.edu>
To: rsimms@opus.cabrillo.edu
Subject: Salsa

You and Elizabeth coming to the Palomar this Friday?
Let me know,
- Duke

Later,

- Rich
&
```

mail commands

Alternate ways to forward a message

There is an easier way to forward a message with the latest version of mailx!

I wonder who will be the first person to find out how its done and post the solution to the forum?




Mail

Documentation

man page for mail

```
/home/cis90/milhom $ man mail
```



```

MAILX(1)                                User Commands                                MAILX(1)

NAME
    mailx - send and receive Internet mail

SYNOPSIS
    mailx [-BDdEFintv~] [-s subject] [-a attachment] [-c cc-addr] [-b bcc-
        addr] [-r from-addr] [-h hops] [-A account] [-S vari-
        able[=value]] to-addr . . .
    mailx [-BDdEHiInNRv~] [-T name] [-A account] [-S variable[=value]] -f
        [name]
    mailx [-BDdEiInNRv~] [-A account] [-S variable[=value]] [-u user]

DESCRIPTION
    Mailx is an intelligent mail processing system, which has a command
    syntax reminiscent of ed(1) with lines replaced by messages. It is
    based on Berkeley Mail 8.1, is intended to provide the functionality of
    the POSIX mailx command, and offers extensions for MIME, IMAP, POP3,
    SMTP, and S/MIME. Mailx provides enhanced features for interactive
    use, such as caching and disconnected operation for IMAP, message
    threading, scoring, and filtering. It is also usable as a mail batch
    language, both for sending and receiving mail.

:
  
```

In the bash shell, use the man command for extensive documentation on mail

Mail ? command

& ?

	mail commands	
type <message list>		type messages
next		goto and type next message
from <message list>		give head lines of messages
headers		print out active message headers
delete <message list>		delete messages
undelete <message list>		undelete messages
save <message list> folder		append messages to folder and mark as saved
copy <message list> folder		append messages to folder without marking them
write <message list> file		append message texts to file, save attachments
preserve <message list>		keep incoming messages in mailbox even if saved
Reply <message list>		reply to message senders
reply <message list>		reply to message senders and all recipients
mail addresses		mail to specific recipients
file folder		change to another folder
quit		quit and apply changes to folder
xit		quit and discard changes made to folder
!		shell escape
cd <directory>		chdir to directory or home if none given
list		list names of all available commands

A <message list> consists of integers, ranges of same, or other criteria separated by spaces. If omitted, mail uses the last message typed.

&

Use the ? command to see a short list of common mail commands

Listing messages (headers)

mail h (headers) command

e.g. list my current folder)


```
rsimms@oslab:~/cis90/misc/uhist
& h
> 1 Rich Simms      Fri Feb 19 10:50  17/659  "Test"
   2 Rich Simms      Wed Apr 28 15:52  24/721  "another get well mess"
   3 Jim Griffin     Sat May 1 14:11  28/1131  "Re: Get well soon"
   4 Christopher Botos Wed Sep 1 21:44 152/10825 "Re: Cabrillo CIS 90 u"
   5 Jason Hamil     Wed Sep 1 21:48 191/9909  "RE: Cabrillo CIS 90 u"
   6 Laura Pirkle    Wed Sep 1 22:46 217/9590  "Re: Cabrillo CIS 90 u"
   7 Adriana Plastina Wed Sep 1 22:58 1028/77247 "picture of my face f"
   8 Saulius Zilis   Wed Sep 1 23:12 34/2112  "Re: Cabrillo CIS 90 u"
   9 dennis anti     Thu Sep 2 00:22 178/9983  "Re: Cabrillo CIS 90 u"
  10 francisco cardenas Thu Sep 2 15:15 3166/192496
  11 Jennifer Parrish Tue Sep 7 22:59 3288/201881 "Re: Cabrillo CIS 90"
  12 Rudy Perez      Wed Sep 8 13:15 46/2182  "ccconfer class listin"
  13 francisco cardenas Wed Sep 8 13:15 47/2356  "quiz"
  14 James Garibay    Wed Sep 8 13:32 3153/191560
  15 Jim Griffin     Tue Aug 17 20:20 22/1016  "Opus mail"
  16 Rudy Perez      Thu Sep 2 17:17 2529/192676 "student survey"
  17 Rich Simms      Tue Sep 14 20:26 88/7804  "Re: Saulius"
  18 Mike Delfin     Wed Sep 15 15:06 15/634  "Re: Welcome"
  19 Mike Delfin     Wed Sep 15 15:08 17/636  "Re: Welcome"
& █
```

*Use the **h** command to show messages the current folder*

mail h (headers) command

e.g. list my current folder)

N = New message, a U = Unread message



```
simben90@oslab:~
& h
N 1 Homer Miller      Tue Sep 11 21:25  20/790  "Hola"
N 2 Rich Simms        Tue Sep 11 21:58  20/752  "Treasure"
> 3 Rich Simms        Tue Sep 11 22:01  20/788  "Lab Hours on Monday"
N 4 Rich Simms        Tue Sep 11 22:01  20/796  "Where were you last summer?"
&
```

message numbers

& is mail prompt for next command

> points to the current message (last one printed)

Deleting Messages

mail commands

(d)elelete and (u)ndelete

```
rsimms@opus:~  
[rsimms@opus ~]$ mail -f mbox  
Mail version 8.1 6/6/93.  Type ? for help.  
"mbox": 4 messages  
>  1 simmsmar@opus.cabrill  Thu Jul 24 12:28  19/739  "Don't forget to bring"  
  2 simmsben@opus.cabrill  Thu Jul 24 12:27  17/708  "Nisene Hike"  
  3 rsimms@opus.cabrillo    Thu Jul 24 12:33  21/819  "Re: Hot days and serv"  
  4 roddyduk@opus.cabrill  Thu Jul 24 15:41  19/702  "Salsa"  
& d 4  
& h  
  1 simmsmar@opus.cabrill  Thu Jul 24 12:28  19/739  "Don't forget to bring"  
  2 simmsben@opus.cabrill  Thu Jul 24 12:27  17/708  "Nisene Hike"  
>  3 rsimms@opus.cabrillo    Thu Jul 24 12:33  21/819  "Re: Hot days and serv"  
& u 4  
& h  
  1 simmsmar@opus.cabrill  Thu Jul 24 12:28  19/739  "Don't forget to bring"  
  2 simmsben@opus.cabrill  Thu Jul 24 12:27  17/708  "Nisene Hike"  
  3 rsimms@opus.cabrillo    Thu Jul 24 12:33  21/819  "Re: Hot days and serv"  
>  4 roddyduk@opus.cabrill  Thu Jul 24 15:41  19/702  "Salsa"  
&
```

*Messages can be deleted (and undeleted) with **d** and **u** commands*

Mailbox files (folders)

UNIX mail

The dead.letter mail file

```
/home/cis90/simben $ mail bogus
Subject: Dead stuff
I doubt you will get this because you don't exist!
.
EOT
You have mail in /var/spool/mail/simben90
/home/cis90/simben $ /home/cis90/simben/dead.letter... Saved message in
/home/cis90/simben/dead.letter

/home/cis90/simben $ mail -f dead.letter
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"dead.letter": 1 message
> 1 To bogus          Tue Sep 17 10:04  18/562  "Dead s"
& d 1
& q
"dead.letter" complete
/home/cis90/simben $
```

Undeliverable mail is placed in your dead.letter file. You can cat this file or open it with the mail command

UNIX mail

The mail folders are ascii text files

```
/home/cis90/simben $ ls
```

archives	empty	Lab2.1	Miscellaneous	proposal2	text.err
bigfile	Hidden	letter	mission	proposal3	text.fxd
bin	lab01.graded	log	Poems	small_town	timecal
dead.letter	Lab2.0	mbox	proposal1	spellk	what_am_i

```
/home/cis90/simben $ ls /var/mail/simben90
```

```
/var/mail/simben90
```

1 & 4: User's can create there own mail folder files, giving them any name they like, such as archives and mbox

```
/home/cis90/simben $ file archives dead.letter mbox /var/spool/mail/simben90
```

```
1) archives: ASCII mail text
2) dead.letter: ASCII mail text
3) mbox: ASCII mail text
4) /var/spool/mail/simben90: ASCII mail text
```

*Mail files are text files that you can **cat** or open with **mail -f***

2) All undeliverable messages go into a user's dead.letter file

3) All incoming new messages are initially placed in the /var/mail/<username> file

UNIX mail

The mail folders are ascii text files

Mail files are ASCII text files. You can cat them out or open them with the mail command.

```
/home/cis90/simben $ cat archives
```

```
From milhom90@oslab.cishawks.net Mon Sep 16 18:52:53 2013
Return-Path: <milhom90@oslab.cishawks.net>
Received: from oslab.cishawks.net (localhost [127.0.0.1])
    by oslab.cabrillo.edu (8.14.4/8.14.4) with ESMTP id r8H1q rmw008499
    for <simben90@oslab.cishawks.net>; Mon, 16 Sep 2013 18:52:53 -0700
Received: (from milhom90@localhost)
    by oslab.cishawks.net (8.14.4/8.14.4/Submit) id
    for simben90; Mon, 16 Sep 2013 18:52:53 -0700
From: Homer Miller <milhom90@oslab.cishawks.net>
Message-Id: <201309170152.r8H1qrJZ008497@oslab.cishawks.net>
Date: Mon, 16 Sep 2013 18:52:53 -0700
To: simben90@oslab.cishawks.net
Subject: Fwd: Hot Potato
User-Agent: Heirloom mailx 12.4 7/29/08
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Status: O
```

```
----- Original Message -----
From: Rich Simms <rsimms@oslab.cishawks.net>
Date: Sun, 15 Sep 2013 15:41:49 -0700
To: milhom90@oslab.cishawks.net
Subject: Hot Potato
```

You got it ... forward it on! - Rich

```
/home/cis90/simben $
```

```
/home/cis90/simben $ mail -f archives
```

```
Heirloom Mail version 12.4 7/29/08. Type ? for help.
"archives": 1 message 1 unread
>U 1 Homer Miller Mon Sep 16 18:52 28/1002 "Fwd: H"
& 1
Message 1:
From milhom90@oslab.cishawks.net Mon Sep 16 18:52:53 2013
Return-Path: <milhom90@oslab.cishawks.net>
From: Homer Miller <milhom90@oslab.cishawks.net>
Date: Mon, 16 Sep 2013 18:52:53 -0700
To: simben90@oslab.cishawks.net
Subject: Fwd: Hot Potato
User-Agent: Heirloom mailx 12.4 7/29/08
Content-Type: text/plain; charset=us-ascii
Status: RO
```

```
----- Original Message -----
From: Rich Simms <rsimms@oslab.cishawks.net>
Date: Sun, 15 Sep 2013 15:41:49 -0700
To: milhom90@oslab.cishawks.net
Subject: Hot Potato
```

You got it ... forward it on! - Rich

```
& q
"archives" complete
/home/cis90/simben $
```

Class Exercise

UNIX mail

- Send yourself several test messages with different subjects:

mail \$LOGNAME

mail \$LOGNAME


- Now read your mail

mail


- Use the **h** command to list the message headers
- Read all your messages by entering each message number
- Use the **d** command to delete one of the messages
- Use the **s** command to save one message to a folder named archives
- Use **q** to quit mail
- Read the mail in your archives with **mail -f archives**
- Use **q** to quit mail

end-to-end email


end-to-end email




end-to-end email



end-to-end email: example Implementation



end-to-end email: example Implementation




```

simmsben@opus:~
/home/cis90/simmsben $ mail simmsmar richsimms@yahoo.com
Subject: Salsa on Friday
See you at the Palomar dance floor. Bring
your dancing shoes!

- Benji
Cc:
/home/cis90/simmsben $
  
```


compose and send message

MUA
Yahoo Mail



open and read message 157

end-to-end email: configuring your MUA (Mail User Agent)



Other MUAs MTAs, DAs, AAs

end-to-end email

some of the many players

MTA



sendmail, Exim, Microsoft Exchange, Postfix

DA



/bin/mail, procmail, smrsh

AA



imapd, spop

MUA



/bin/mail, pine, elm, Outlook, gmail, Evolution, Yahoo Mail

Lab 3

Notes to Rich



[] - Send out UNIX historical events for Lab 3

use **events** alias or

mail-lab03-events script in **~rsimms/cis90/lab03/scripts/uhist** directory



Lab 3 - Start early and check your Opus email every day!

You will receive a mail message from me with a Unix historical event for a particular year. Save this message to a mailbox called *uhistory*.

The objective of this lab is to use Unix mail to exchange and collect at least 15 individual events with your classmates. There are more students than events so some students will receive the same event.

Start by sending an email to your other classmates with your event and ask them to send you their events. Each time you get a Unix event that you haven't already saved, save it to your *uhistory* mailbox.

Rules:

- Do this lab on Opus using */bin/mail* (the mail command).
- When someone asks you for the date that you received, you must send it to them with the subject being just the year of the event, e.g. 1972. The email message must contain the complete line of event text for that year.
- Each email saved in *uhistory* must be for a single event/year.
- Each email saved in *uhistory* must have a subject that is just the year of the event.

If you receive an email that is missing the event or does not have the year as the subject, reply to the sender and ask them to resend a corrected version.

When you get all the Unix event messages saved in your *uhistory* mailbox you should have up to 22 messages, each with a different date for the Subject field. Delete any duplicate dates you may have.

Lab 3 (and all future labs) must be done on Opus

Tips for Lab 3

Start this lab early in the week and check your mail daily to collect all messages

- Use the **s** command in mail to save a message to your *uhistory* mailbox
- Use **mail -f uhistory** to review your collection
 - Use the **d** command in mail to delete duplicates
- Use the **check3** script to review progress
- You can **submit** your work as many times as you wish up to the deadline. Only the last submittal will be graded. Submit whatever you have completed for partial credit if you run out of time.

Post and read more tips on the forum

Wrap up

New commands:

mail

```
type <message list>
next
from <message list>
headers
delete <message list>
undelete <message list>
save <message list> folder
copy <message list> folder
write <message list> file
preserve <message list>
Reply <message list>
reply <message list>
mail addresses
file folder
quit
xit
!
cd <directory>
list
```

- UNIX mail

```
type messages
goto and type next message
give head lines of messages
print out active message headers
delete messages
undelete messages
append messages to folder and mark as saved
append messages to folder without marking them
append message texts to file, save attachments
keep incoming messages in mailbox even if saved
reply to message senders
reply to message senders and all recipients
mail to specific recipients
change to another folder
quit and apply changes to folder
quit and discard changes made to folder
shell escape
chdir to directory or home if none given
list names of all available commands
```

A <message list> consists of integers, ranges of same, or other criteria separated by spaces. If omitted, mail uses the last message typed.

mesg

- Enable or disable writes to your terminal

write

- Write message to another user

New Files and Directories:

/var/mail

- Message store for mail

/var/mail/*username*

- Incoming mailbox for *username*

Next Class

Assignment: Check Calendar Page on web site to see what is due next week.

**1st five forum posts
and Lab 3**

Quiz questions for next class:

- What command can you use to "chat" with another user?
- How do you forward a message with /bin/mail?
- What is the dead.letter folder?

Backup



Practice Questions Lessons 1 & 2

Practice Test Questions

What is simben90's uid (user ID) on Opus?

Practice Test Questions

What is simben90's uid (user ID) on Opus?

Benji's uid is 1201

```
/home/cis90/simben $ id simben90  
uid=1201(simben90) gid=190(cis90) groups=190(cis90),100(users)  
/home/cis90/simben $
```

Practice Test Questions

What day of the week was Sept 11, 2001?

Practice Test Questions

What day of the week was Sept 11, 2001?

It was a Tuesday

```
/home/cis90/simben $ cal 9 2001
    September 2001
Su Mo Tu We Th Fr Sa
                1
 2  3  4  5  6  7  8
 9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30
/home/cis90/simben $
```

Practice Test Questions


Where (what directory) does the program file for the **ps** command reside?

Practice Test Questions

Where (what directory) does the program file for the **ps** command reside?

```
/home/cis90/simben $ type ps  
ps is /bin/ps
```

It's in the /bin directory



Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
ls -l /boot/grub/
```

Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
ls -l /boot/grub/
```

Command: ls

One option: -l (for long listing)

One argument: /boot/grub

Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
echo "1 2 3" four 5 six
```

Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
echo "1 2 3" four 5 six
```

Command: echo

No options

4 arguments:

- *"1 2 3"*
- *four*
- *5*
- *six*

Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname-x  
-bash: uname-x: command not found  
/home/cis90/simben $
```

Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname-x  
-bash: uname-x: command not found  
/home/cis90/simben $
```

It was the bash program. bash is the shell we are using and it could not find a command named uname-x on the path

Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname -x  
uname: invalid option -- 'x'  
Try `uname --help' for more information.  
/home/cis90/simben $
```

Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname -x  
uname: invalid option -- 'x'  
Try `uname --help' for more information.  
/home/cis90/simben $
```

It was the uname program. The uname program was loaded into memory. It started to handle its options and discovered an unknown option. It printed the error message and aborted.

Practice Test Questions

What terminal device are you using?

Practice Test Questions

What terminal device are you using?

Use the tty command to find out:

```
/home/cis90/simben $ tty  
/dev/pts/0  
/home/cis90/simben $
```

Practice Test Questions

What type of terminal are you using?

Practice Test Questions

What type of terminal are you using?

Use the **echo \$TERM** command to find out:

```
/home/cis90/simben $ echo $TERM  
xterm
```

This user's terminal type is xterm

Practice Test Questions

What directories make up your path?

Practice Test Questions

What directories make up your path?

Use echo \$PATH to find out:

```
/home/cis90/simben $ echo $PATH  
/usr/lib/qt-3.3/bin:/usr/local/bin:/bin:/usr/bin:  
/usr/local/sbin:/usr/sbin:/sbin:/home/cis90/simben/../bin:  
/home/cis90/simben/bin:.
```

*/usr/lib/qt-3.3/bin
/usr/local/bin
/bin
/usr/bin
/usr/local/sbin
/usr/sbin
/sbin
/home/cis90/simben/../bin
/home/cis90/simben/bin
.*

*There are 10 directories specified on
this user's path*

Practice Test Questions

Are the **yum**, **useradd**, and **yell** commands on your path?

Practice Test Questions

Are the **yum**, **useradd**, and **yell** commands on your path?

```
/home/cis90/simben $ type yum    Yes, on path  
yum is /usr/bin/yum
```

```
/home/cis90/simben $ type useradd  Yes, on path  
useradd is hashed (/usr/sbin/useradd)
```

```
/home/cis90/simben $ type yell    No, not on path  
-bash: type: yell: not found
```

Note: "is hashed" means bash has previously searched the path and run this command. The location of the command has been saved in the hash table to speed up subsequent searches.

Practice Test Questions

What is the name of the environment variable that defines your shell prompt?

Practice Test Questions

What is the name of the environment variable that defines your shell prompt?

It's PS1

```
/home/cis90/simben $ echo $PS1  
$PWD $
```

```
/home/cis90/simben $ echo "The PWD variable =" $PWD  
The PWD variable = /home/cis90/simben  
/home/cis90/simben $
```

Both PS1 and PS2 are environment variables

Practice Test Questions

How do you change the shell prompt to `"Enter next command: "` ?

Practice Test Questions

How do you change the shell prompt to "Enter next command: " ?

Set PS1 to new value using "=" sign

```
/home/cis90/simben $  
/home/cis90/simben $ PS1="Enter next command: "  
Enter next command:  
Enter next command: echo $PWD  
/home/cis90/simben  
Enter next command: echo $PS1  
Enter next command:  
Enter next command:
```

Practice Test Questions

How do you restore the original shell prompt so it displays the current directory followed by a \$ and a blank?

Practice Test Questions

How do you change the shell prompt to "Enter next command: "
then change it back again?

To restore the original prompt use:

```
Enter next command: PS1='$PWD $ '
/home/cis90/simben $
```

More Review (variables)

Environment Variables

Use `$` for the "value" of a variable

Analogy: Each variable is a named location. The contents of any location is the "value" of that variable.

```
$ echo $LOGNAME
simmsben
```

```
$ echo HOME
HOME
```

```
$ echo $HOME
/home/cis90/simmsben
```

```
$ echo $SHELL
/bin/bash
```

```
$ echo $HOSTNAME
opus.cabrillo.edu
```



Make your own shell variables

Imagine creating a new variable for use as the fan speed in your car



```
$ echo $FAN
```

Initially it's not defined so if echoed it has a null value

```
$ FAN=HI
$ echo $FAN
HI
$ echo "The fan is set to: " $FAN
The fan is set to: HI
$ FAN=LO
```

Create a variable named FAN and set the value to "HI"

```
$ echo "The fan is set to: " $FAN
The fan is set to: LO
```

Now set the FAN variable to "LO"

Activity

```
/home/cis90/simben $ weather=rain
/home/cis90/simben $ country=Spain
/home/cis90/simben $ location="the plain"
/home/cis90/simben $ echo The $weather in $country stays mainly in $location
The rain in Spain stays mainly in the plain
/home/cis90/simben $
```


When **echo** is loaded into memory and starts to run:

- 1) How many arguments does it receive from the bash shell?
- 2) Does **echo** see "\$weather" or "rain" as one of the arguments it receives?

Write your answers in the chat window

More Review (shell)

The Shell



- Allows users to interact with the computer via a "**command line**".
- **Prompts** for a command, parses the command, finds the right program and gets that program executed.
- Is called a "**shell**" because it hides the underlying operating system.
- Multiple shell programs are available: **sh** (Bourne shell), **bash** ("bourne-again" shell), **cs** (C shell), **ksh** (Korn shell).
- The shell is a **user interface** and a **programming language** (scripts).
- GNOME and KDE desktops could be called **graphical shells**



Command Syntax

*Shell prints
this to prompt
user to enter a
command*

Shell parses this command line



Examples

Options modify the
behavior of the command

Arguments are what the
command works upon

Redirection is
covered later in
the course


```

/home/cis90/simben $
/home/cis90/simben $ ls
/home/cis90/simben $ ls -l
/home/cis90/simben $ ls -l -t
/home/cis90/simben $ ls -li Poems/
/home/cis90/simben $ ls -a Poems/ bin/
/home/cis90/simben $ ls -d Poems/ bin/ > mylist
  
```

Spaces (blanks) are used to separate the command,
options and arguments. Additional blanks are ignored.



The six steps of the Shell



- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat





Life of the Shell

Example:

```
/home/cis90/simben $ ls -lt proposal1 proposal2  
-rw-r--r--. 1 simben90 cis90 1074 Aug 26 2003 proposal1  
-rw-r--r--. 1 simben90 cis90 2175 Jul 20 2001 proposal2  
/home/cis90/simben $
```

Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

Lets take a deep dive into how a command gets executed.

Note it is always a team effort by both the shell and the command.



Life of the Shell

Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

1) Prompt user for a command

Example:

*The shell begins by outputting the prompt
(which is based on the PS1 variable)*

```
/home/cis90/simben $ ls -lt proposal1 proposal2
```

Then you type the command

FYI, you can mimic outputting the prompt yourself with these commands:

```
/home/cis90/simben $ echo $PS1 to show value of PS1 variable
```

```
$PWD $
```

```
/home/cis90/simben $ echo $PWD $ echo the output of the  
previous command
```

```
/home/cis90/simben $ was output by the echo command above
```

```
/home/cis90/simben $ echo my prompt is: $PWD $  
my prompt is: /home/cis90/simben $
```



Life of the Shell

Shell Steps

- 1) Prompt
- 2) **Parse**
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

2) Parse command user typed

Example:

```
ls -lt proposal1 proposal2
```

- Command = ls
- 2 Options = l, t
- 2 Arguments = proposal1, proposal2
- Redirection = NA

The shell uses the command syntax rules to break down the command line into options, arguments and redirection.

Parsing includes expanding variables and properly handling any metacharacters.

The shell doesn't actually distinguish between options and arguments. To the shell it is just another argument comprised of a string of text separated by blanks. We will distinguish between options and arguments to better understand command syntax and how it controls what commands do.



Life of the Shell

Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

3) Search for program on the path

ls -lt proposal1 proposal2

Use this command to see the path directories (separated by ':'s) on your path

```
/home/cis90/simben $ echo $PATH
/usr/lib/qt-3.3/bin:/usr/local/bin:/bin:/usr/bin:
/usr/local/sbin:/usr/sbin:/sbin:
/home/cis90/simben/../../bin:/home/cis90/simben/bin:.
```

*The shell will search each directory in order for an **ls** command*

```
/usr/lib/qt-3.3/bin no
/usr/local/bin no
/bin YES! - it was found in the /bin directory
/usr/bin
/usr/local/sbin
/usr/sbin
/sbin
/home/cis90/simben/../../bin
/home/cis90/simben/bin
.
```

Note: If the shell cannot find the command on the path it will output "command not found"

Try mimicking what the shell does to search for ls:

```
/home/cis90/simben $ ls /usr/lib/qt-3.3/bin/ls
ls: cannot access /usr/lib/qt-3.3/bin/ls: No
such file or directory
```

```
/home/cis90/simben $ ls /usr/local/bin/ls
ls: cannot access /usr/local/bin/ls: No such
file or directory
```

```
/home/cis90/simben $ ls /bin/ls
/bin/ls
```



Life of the Shell


Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) **Execute**
- 5) Nap
- 6) Repeat

4) Execute the command

```
ls -lt proposal1 proposal2
```

Invokes the kernel to load the program into memory (which becomes a process), passes along any parsed options & expanded arguments, hooks up any redirection requests then goes to sleep till the new process has finished





Life of the Shell

Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) **Nap**
- 6) Repeat

5) Nap while the command (process) runs to completion

(The shell, itself a loaded process, goes into the sleep state and waits till the command process is finished)

```
/home/cis90/simben $ ls -lt proposal1 proposal2
-rw-r--r--. 1 simben90 cis90 1074 Aug 26 2003 proposal1
-rw-r--r--. 1 simben90 cis90 2175 Jul 20 2001 proposal2
```



Life of the Shell

**6) And do it all over
again ... go to step 1**

Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

Practice Test Questions

Knowing the steps the shell performs, which of the two processes shown below is “taking a nap”?

```
/home/cis90/simben $ ps
  PID TTY          TIME CMD
 21559 pts/0    00:00:00 bash
 22012 pts/0    00:00:00 ps
```

Shell's steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

Practice Test Questions

Knowing the steps the shell performs, which of the two processes shown below is "taking a nap"?

```
/home/cis90/simben $ ps
  PID TTY          TIME CMD
 21559 pts/0    00:00:00 bash
 22012 pts/0    00:00:00 ps
```

Shell's steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

Answer: bash (the shell) is sleeping


```
/home/cis90/simben $ ps -l
F S  UID      PID  PPID  C PRI  NI ADDR SZ WCHAN  TTY          TIME CMD
0 S  1001  21559 21558  0  80   0 -  1275 -          pts/0    00:00:00 bash
0 R  1001  22013 21559  0  80   0 -  1213 -          pts/0    00:00:00 ps
```

Status column, R=running, S=sleeping

More Review (inputs)

Program
(a file on the hard drive)

Inputs to commands




echo gets input from the command line

```
/home/cis90/simben $ echo I am $LOGNAME
I am simben90
```

The **echo** command gets its input from the command line.

Note: *echo* never saw the "\$LOGNAME" typed by the user. *bash* expanded this before passing it to the *echo* command




stdin and stderr were never used for this command

This ls command got input from the OS

```
/home/cis90/simmsben $ ls Poems/
ant Blake nursery Shakespeare twister Yeats
```

*In this example, the **ls** command gets input from the command line and the operating system*




stdin and stderr were never used for this command

This bc command gets input from the keyboard

```
[rsimms@nosmo ~]$ bc
<snipped>
2+2
4
```

*In this example, the **bc** command gets input only from the keyboard*



stderr was never used for this command