




Rich's lesson module checklist

Last updated 4/18/2018

- ☐ Zoom recording named and published for previous lesson
- ☐ Slides and lab posted
- ☐ Print out agenda slide and annotate page numbers
- ☐ Flash cards
- ☐ 1st minute quiz
- ☐ Calendar page updated
- ☐ Lab 9 tested and uploaded
- ☐ Test 2 stats run
- ☐ Test and schedule langs file email for Lab 9 ready (at end of class)
- ☐ Schedule lock/unlock turnin directory (scripts/schedule-submit-locks)
- ☐ Apache configured for student websites
 - ☐ /etc/httpd/conf.d/userdir.conf
 - ☐ UserDir directive
 - ☐ systemctl restart httpd
 - ☐ setsebool -P httpd_enable_homedirs true
 - ☐ chcon -R -t httpd_sys_content_t cis90_html
- ☐ Swap all egg & treat slides in shell six steps
- ☐ Backup slides, CCC info, handouts on flash drive
- ☐ Spare 9v battery for mic
- ☐ Key card for classroom door

- ☐ https://zoom.us
- ☐ Putty + Slides + Chrome
- ☐ Enable/Disable attendee sharing
 - ^ > Advanced Sharing Options > Only Host
- ☐ Enable/Disable attended annotations
 - Share > More > Disable Attendee Sharing



Student Learner Outcomes

1. Navigate and manage the UNIX/Linux file system by viewing, copying, moving, renaming, creating, and removing files and directories.
2. Use the UNIX features of file redirection and pipelines to control the flow of data to and from various commands.
3. With the aid of online manual pages, execute UNIX system commands from either a keyboard or a shell script using correct command syntax.

Introductions and Credits



Jim Griffin

- Created this Linux course
- Created Opus and the CIS VLab
- Jim's site: <http://cabrillo.edu/~jgriffin/>



Rich Simms

- HP Alumnus
- Started teaching this course in 2008 when Jim went on sabbatical
- Rich's site: <http://simms-teach.com>

And thanks to:

- John Govsky for many teaching best practices: e.g. the First Minute quizzes, the online forum, and the point grading system (<http://teacherjohn.com/>)



Student checklist - Before class starts

The screenshot shows the website simms-teach.com/cis90calendar.php. The page title is "Rich's Cabrillo College CIS Classes CIS 90 Calendar". On the left sidebar, the "CIS 90" link is highlighted. The main content area shows the "CIS 90 (Fall 2014) Calendar" with tabs for "Course Details", "Grades", and "Calendar". The "Calendar" tab is selected, showing a table with columns for "Lesson", "Date", "Topics", and "Link". The first row is for Lesson 1 on 9/2, with topics including "Class and Linux Overview", "Introduction", "Supplemental", "Assignment", "CIS 90 Certificate", "Quiz 1", and "Commands". Red boxes highlight the "Presentation slides (download)" link, the "Enter virtual classroom" link, and the "CIS 90" link in the sidebar.

Lesson	Date	Topics	Link
1	9/2	<p>Class and Linux Overview</p> <ul style="list-style-type: none"> Understand how the course will work High-level overview of computers, operating systems, and virtual machines Overview of UNIX/Linux market and architecture Using SSH for remote network access Using terminals and the command line <p>Introduction</p> <p>Supplemental</p> <ul style="list-style-type: none"> PowerPoint: Logging into Opus (download) <p>Assignment</p> <ul style="list-style-type: none"> Student Survey Lab 1 <p>CIS 90 Certificate</p> <p>Quiz 1</p> <p>Commands</p>	<p>(download)</p> <p>2, 4, 5, p163-172, p164-172 (pdf)</p>

1. Browse to:
<http://simms-teach.com>
2. Click the **CIS 90** link.
3. Click the **Calendar** link.
4. Locate today's lesson.
5. Find the **Presentation slides** for the lesson and **download** for easier viewing.
6. Click the **Enter virtual classroom** link to join ConferZoom.
7. Log into Opus-II with Putty or ssh command.



Student checklist - Before class starts

☐ Google

☐ ConferZoom

☐ Downloaded PDF of Lesson Slides. I like Foxit Reader so I can take notes using annotations.

The screenshot shows a Zoom meeting interface with several windows open. The main window displays a video of a white car with the text "Get into the car" overlaid. Other windows include:


- A Google search page.
- A web page titled "Rich's Cabrillo College CIS 90 Calendar" with a table of lessons.
- A document titled "CIS 90 - Lesson 1" with a slide showing a stack of books and the text "Each student gets their own Arya VM for the term".
- A terminal window showing a login prompt and a password prompt.

☐ CIS 90 website Calendar page

☐ One or more login sessions to Opus-II




Start



Start Recording

Audio Check



Start Recording

Audio & video Check



Instructor: **Rich Simms**
Dial-in: **408-638-0968 (toll)**
Meeting ID: **426 283 384**



Shane



Dan



Brandon



Nathan K.



Jo Anne



Darren



Laine



Luís



Nathanael T.



Cesar



Paul




Jetta



Fritz



Jake




Richard



Nate P.



Ciarán



November



Elena



David



Henry



Edgar



Adam



Clara

First Minute Quiz

Please answer these questions **in the order** shown:


No Quiz today ... test instead

For credit email answers to:

risimms@cabrillo.edu

within the **first few minutes of class**

Network Check



<https://intermapper.engineering.cenic.org/g3f025799/document/~!/index.html>

First Minute Quiz

Please answer these questions **in the order** shown:

Use ConferZoom White Board


email answers to: risimms@cabrillo.edu

(answers must be emailed within the first few minutes of class for credit)

vi editor

Objectives	Agenda
<ul style="list-style-type: none">• Create and modify text files	<ul style="list-style-type: none">• Quiz• Questions• Test 2 Post Mortem• Housekeeping• grep workout• Shell Six Steps (review)• Signals (review)• Target Practice• Using &• Job control (review)• Load balancing & scheduling (review)• Text editors• vi 101• vi• Tangent on spell• Assignment• Wrap up

Class Activity



If you haven't already,
log into Opus-II

Class Activity

3	2/19	Unit 3 Electronic Mail <ul style="list-style-type: none">• Guest speaker: Denise Moore on OTC (On-The-Job) training programs• Learn how to use the LARC communication tools: write and /bin/mail• Overview on and to and mail Materials <ul style="list-style-type: none">• Presentation slides (download) Supplemental <ul style="list-style-type: none">• Howto #318: Accessing vlab (download) Assignment <ul style="list-style-type: none">• Read/skim Lesson 3 slides	Lab 2
---	------	--	-----------------------

<https://simms-teach.com/cis90calendar.php>

If you haven't already,
download the lesson slides

Class Activity

	<ul style="list-style-type: none">• <u>Read/skim Lesson 1 slides</u>• <u>Student Survey</u>• <u>Lab 1</u>	
	ConferZoom <ul style="list-style-type: none">• <u>Enter virtual classroom</u>• <u>Class archives</u>	
	Quiz 1 Commenda <ul style="list-style-type: none">• Understand how the UNIX login operation	

<https://simms-teach.com/cis90calendar.php>

If you haven't already, join
ConferZoom classroom



Questions



Questions?

Lesson material?

Labs? Tests?

How this course works?

- Graded work in home directories
- Answers in /home/cis90/answers

Who questions much, shall learn much, and retain much.

- Francis Bacon

If you don't ask, you don't get.

- Mahatma Gandhi

Chinese
Proverb

他問一個問題，五分鐘是個傻子，他不問一個問題仍然是一個傻瓜永遠。


He who asks a question is a fool for five minutes; he who does not ask a question remains a fool forever.

Where to find your grades

Send me your survey to get your LOR code name.

The CIS 90 website Grades page

<http://simms-teach.com/cis90grades.php>



Or check on Opus-II

checkgrades *codename*
(where codename is your LOR codename)



Written by Jesse Warren a past CIS 90 Alumnus

Percentage	Total Points	Letter Grade	Pass/No Pass
90% or higher	504 or higher	A	Pass
80% to 89.9%	448 to 503	B	Pass
70% to 79.9%	392 to 447	C	Pass
60% to 69.9%	336 to 391	D	No pass
0% to 59.9%	0 to 335	F	No pass

Points that could have been earned:

7 quizzes: 21 points
7 labs: 210 points
2 tests: 60 points
2 forum quarters: 40 points
Total: 331 points

At the end of the term I'll add up all your points and assign you a grade using this table

Extra Credit

On the forum

Be sure to monitor the forum as I may post extra credit opportunities without any other notice!

On some labs

Extra credit (2 points)

For a small taste of what you would learn in CIS 191 let's add a new user to your Arya VM. Once added we will see how the new account is represented in `/etc/passwd` and `/etc/shadow`.

1. Log into your Arya VM as the cis90 user. Make sure it's your VM and not someone else's.
2. Install the latest updates:
`sudo apt-get update`
`sudo apt-get upgrade`
3. Add a new user account for yourself. You may make whatever username you wish. The example below shows how Benji would make the same username he uses on Opus:
`sudo useradd -G sudo -c "Benji Simms" -m -s /bin/bash simben90`

In lesson slides (search for extra credit)



On the website

<http://simms-teach.com/cis90grades.php>

For some flexibility, personal preferences or family emergencies there is an additional 90 points available of extra credit activities.

<http://simms-teach.com/cis90extracredit.php>

• **Website content review** - The first person to email the instructor pointing out an error or typo on this website will get one point of extra credit for each unique error. The email must specify the specific document or web page, pinpoint the location of the error, and specify what the correction should be. Duplicate errors count as a single point. This does not apply to pre-published material that has been updated but not yet presented in class. (Up to 20 points total)




Getting Help When Stuck on a Lab Assignment

- Google the topic/error message.
- Search the Lesson Slides (they are PDFs) for a relevant example on how to do something.
- Post a question on the forum. Explain what you are trying to do and what you have tried so far.
- Talk to a STEM center tutor/assistant.
- Come see me during my office or lab hours. **I will be in the CTC (room 1403) every Wednesday afternoon from 3-5:30.**
- Make use of the Open Questions time at the start of every class.
- Make a cheat sheet of commands and examples so you never again get stuck on the same thing!

Expect to do a LOT of troubleshooting in this course!


Help Available in the CIS Lab

Instructors, lab assistants and equipment are available for CIS students to work on assignments.



To see schedule, click the CIS Lab link on the website and use the "Week" calendar view

CTC - Building 1400 On lower campus



I will be in the CTC (room 1403) every Wednesday
afternoon from 3-5:30



The slippery slope



- 1) If you didn't submit the last lab ...
- 2) If you were in class and didn't submit the last quiz ...
- 3) If you didn't send me the student survey assigned in Lesson 1 ...
- 4) If you haven't made a forum post in the last quarter of the course ...

*Please contact me by email, see me during
my office hours or when I'm in the CTC*

Email: risimms@cabrillo.edu



Test 2

Post Mortem

Test 2 – Results

Missed Q4 = 17
Missed Q26 = 16
Missed Q30 = 13
Missed Q29 = 13
Missed Q28 = 13
Missed Q25 = 13
Missed Q24 = 13
Missed Q23 = 11
Missed Q27 = 10
Missed Q13 = 10
Missed Q21 = 9
Missed Q22 = 8
Missed Q11 = 8
Missed Q18 = 7
Missed Q20 = 6

Missed Q17 = 6
Missed Q15 = 6
Missed Q9 = 5
Missed Q6 = 5
Missed Q3 = 5
Missed Q2 = 5
Missed Q19 = 5
Missed Q12 = 4
Missed Q14 = 3
Missed Q10 = 3
Missed Q16 = 2
Missed Q8 = 1
Missed Q1 = 1
Missed Q7 = 0
Missed Q5 = 0

Extra Credit


Missed Q33 = 20
Missed Q31 = 18
Missed Q32 = 15





Q16) There is a file in the */etc* directory named *passwd*. This file has information on all user accounts including usernames, UIDs, first and last name, etc. What is the absolute pathname of this file?


Correct answer: */etc/passwd*



<http://www.sodahead.com/united-states/what-color-was-george-washingtons-white-horse/question-636725/>



<http://kids.britannica.com/comptons/art-55428/General-George-Washington-and-his-staff-welcoming-a-provision-train>



<http://www.mountvernon.org/content/revolutionary-war-princeton-white-horse>



Optional Test #2 Online Workshop

Time: Sunday April 22, 2PM till whenever

Place: The CIS 90 Zoom Classroom

If you are interested and think you might attend use the chat window to let me know.

Housekeeping



Overlap Students

Don't forget to update the Google
Docs Log when watching the
recording

1. Lab 8 due tonight

at 11:59pm

at> cat files.out bigshell > lab08

at> cp lab08 /home/rsimms/turnin/cis90/lab08.\$LOGNAME

at> **<Ctrl-D>**


Don't wait till midnight tonight to see if this worked! Submit with an earlier time.

2. A **check8** script is available for Lab 8.

3. Read your email on Opus to verify your Lab 8 submission was received AND that you did not submit an empty file!

4. Note: Lab 9 and five posts due next week.

grip workout





Some perfect times to use the **grep** command:

- 1) To search through the output of a command for some text

```
command | grep "text string"
```

- 2) To search inside one or more files for some text

```
grep "text string" file1 file2 ... fileN
```

- 3) To search (recursively) inside all files in a branch of the UNIX file tree for some text

```
grep -R "text string" directory
```

grep usage – search output of a command

Is the CUPS daemon (print service) running right now?

```
/home/cis90/simben $ ps -ef | grep cups
root      1323      1  0 Jan21 ?           00:00:24 /usr/sbin/cupsd -f
simben90  6361    3202  0 11:26 pts/1       00:00:00 grep --color=auto cups
```

Yes it is, with PID=1323

grep practice

Is the cronjob daemon (**crond**) running right now?

If so, type the crond PID into the chat window

grep usage – search output of a command

Is the Apache web server (httpd) installed?

*This shows all installed
package names*

*This searches for package
names containing "httpd"*

```
/home/cis90/simben $ rpm -qa | grep httpd  
httpd-2.4.6-67.el7.centos.6.x86_64  
httpd-tools-2.4.6-67.el7.centos.6.x86_64
```

Yes, version 2.4.6 has been installed

```
/home/cis90/simben $ httpd -v  
Server version: Apache/2.4.6 (CentOS)  
Server built: Oct 19 2017 20:39:16
```

grep practice

Which relational DBMS (Database Management System) is installed on Opus-II?

MySQL
PostgreSQL
MariaDB

Put the name and version in the chat window

FYI, this DBMS is used by the Forum

grep usage – search output of a command

When were the last 5 times I logged in?

```
/home/cis90/simben $ last | grep $LOGNAME | head -n5
```

simben90	pts/0	50-0-68-235.dsl.	Mon Apr 23 05:39	still	logged in
simben90	pts/6	10.64.25.2	Wed Apr 18 12:48 - 16:51	(04:02)	
simben90	pts/5	10.64.25.2	Wed Apr 18 12:48 - 16:51	(04:02)	
simben90	pts/4	10.64.25.2	Wed Apr 18 12:48 - 16:51	(04:03)	
simben90	pts/1	50-0-68-235.dsl.	Wed Apr 18 09:06 - 10:23	(01:17)	

This scans the latest wtmp log file and lists your most recent five logins to Opus-II

grep practice

For the time period covered by the current wtmp log file. What was the date of your earliest login?

Type your earliest login date into the chat window

grep usage – search output of a command

```
[rsimms@oslab ~]$ ls /bin/{bash,sh,ksh,csch,tcsch}
/bin/bash  /bin/csh  /bin/ksh  /bin/sh  /bin/tcsch
```

```
[rsimms@oslab ~]$ ksh
$ sh
sh-4.2$ csh
```

Look familiar? (lab 8) Shows how to compare shells by size and record the biggest one in a file.

```
[rsimms@oslab ~]$ ps -l
```

size

F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
4	S	1201	9483	9476	0	80	0	- 28881	do_wai	pts/1	00:00:00	bash	
0	S	1201	9533	9483	0	80	0	- 29280	do_wai	pts/1	00:00:00	ksh	
0	S	1201	9557	9533	0	80	0	- 28847	do_wai	pts/1	00:00:00	sh	
0	S	1201	9561	9557	0	80	0	- 29876	sigsus	pts/1	00:00:00	csh	
0	R	1201	9771	9561	0	80	0	- 37235	-	pts/1	00:00:00	ps	

```
[rsimms@oslab ~]$ ps -l | grep csh
```

```
0 S 1201 9561 9557 0 80 0 - 29876 sigsus pts/1 00:00:00 csh
```

```
[rsimms@oslab ~]$ ps -l | grep csh > bigshell
```

```
[rsimms@oslab ~]$ cat bigshell
```

```
0 S 1201 9561 9557 0 80 0 - 29876 sigsus pts/1 00:00:00 csh
```



grep practice

Instructor note:

Login directly to simben90 (don't su)

*Give write permission to others on Benji's terminal device: **chmod 0+w \$(tty)***

- Run **bash**, **ksh**, **sh** and **cs** shells and use **ps -l** to see which is the smallest.
- Redirect the line of **ps -l** output for the smallest shell to Benji Simms's terminal: **/dev/pts/??**
- Sign it with **echo "From first name" > /dev/pts/??**
- Then **exit** each shell till your are back to just one bash shell running.

grep usage – search inside files

How many CIS 90 user accounts are there?

```
/home/cis90/simben $ grep :1090: /etc/passwd | wc -l  
36
```

```
/home/cis90/simben $ grep cis90 /etc/passwd | wc -l  
36
```

```
/home/cis90/simben $ grep "^.*90" /etc/passwd | wc -l  
36
```

FYI
only

There are 36

The third example is a "regular expression". For more information see the Resources page of the website.

grep practice

How many CIS 76 accounts are there on Opus-II?

Type the number of CIS 76 accounts into the chat window

grep usage – search inside files

Example: What is my account information in /etc/passwd?

```
/home/cis90/simben $ grep $LOGNAME /etc/passwd  
simben90:x:1000:90:Benji Simms:/home/cis90/simben:/bin/bash
```

or

```
/home/cis90/simben $ grep simben90 /etc/passwd  
simben90:x:1000:90:Benji Simms:/home/cis90/simben:/bin/bash
```

or

```
/home/cis90/simben $ cat /etc/passwd | grep $LOGNAME  
simben90:x:1000:90:Benji Simms:/home/cis90/simben:/bin/bash
```

Diagram illustrating the fields in the output of the `grep` command, with arrows pointing to the corresponding fields in the output line:

- username* (points to `simben90`)
- password (just a placeholder now)* (points to `x`)
- User ID (UID)* (points to `1000`)
- Group ID (GID)* (points to `90`)
- Comment* (points to `Benji Simms`)
- Home directory* (points to `/home/cis90/simben`)
- Shell* (points to `/bin/bash`)

Note the field separator used in /etc/passwd is a ":"

grep practice

Does your user ID in */etc/passwd* match the uid output by the **id** command?

*Type your answer (yes or no) and your uid from the **id** command into the chat window*

grep usage – search inside files in all or part of the file tree

All the system configuration files are in the /etc directory

Where does the system set your "prompt" variable?

```
/home/cis90/simben $ grep -r "PS1=" /etc 2> /dev/null
/etc/bashrc: [ "$PS1" = "\s-\v\\\$ " ] && PS1="\u@\h \W]\\\$ "
/etc/bashrc: # PS1="\u@\h:\l \W]\\\$ "
```

It is set more than once during login. We will learn in a future lesson that the one in .bash_profile is done last and is what you end up using.

```
/home/cis90/simben $ grep PS1= .bash_profile
PS1='$PWD $ '
```

grep practice

Find the file in the */usr/share* portion of the file tree that contains "playing hot potato".

Type the absolute pathname of the file in the chat window.



Shell

Six Steps

(REVIEW)

Example Command

This is Benji's home directory

```
/home/cis90/simben $ ls -F
1968.egg  class/      edits/      fun/        lab01-collection  log      redhat/
africa/   dead.letter errors      Hidden/     lab02-collection  mbox     sawyer
Apple/    debian/     etc/        HP/         lab04-mydata      misc/    slackware/
basket/   Dell/       f1.graded   island/     lesson7/          mylog    stuff
bigfile   Directory3/ f2.graded   jobs/       letter            normal   uhistory
bin/      docs/       five        L7-fun/     letter.bak        poems/
/home/cis90/simben $
```

Benji wants to find some eggs and types this command

```
/home/cis90/simben $ find / -name *egg 2> /dev/null
```

*Write what you think will happen
in the chat window*

Example Command

```
/home/cis90/simben $ find / -name *egg 2> /dev/null
```

```
/home/cis90/bomnic/1968.egg
```

```
/home/cis90/cis/1968.egg
```

```
/home/cis90/cormax/1968.egg
```

```
/home/cis90/jorwes/1968.egg
```

```
/home/cis90/bownic/1968.egg
```

```
/home/cis90/rodduk/1968.egg
```

```
/home/cis90/tosbre/1968.egg
```

```
/home/cis90/jordan/basket/1968.egg
```

```
/home/cis90/tinsam/1968.egg
```

```
/home/cis90/milhom/1968.egg
```

```
/home/cis90/bancar/1968.egg
```

< snipped >

```
/home/cis90/miljac/1968.egg
```

```
/home/cis90/stejad/basket/1968.egg
```

```
/home/cis90/simben/1968.egg
```

```
/home/cis90/hunbra/1968.egg
```

```
/home/cis90/specod/1968.egg
```

```
/home/cis90/temtyl/1968.egg
```

```
/home/cis90/watshe/1968.egg
```

```
/home/cis90/hawjus/1968.egg
```

```
/home/cis90/simreb/basket/1968.egg
```

```
/home/cis90/seasky/1968.egg
```

```
/home/cis90/brinic/1968.egg
```


```
/home/cis90/simben $
```

Note: Only the 1968.egg files were found!

*That's because Benji has a file named 1968.egg in his home directory and the shell replaced *egg with 1968.egg.*



Prompt Step



1) Prompt

2) Parse

3) Search

4) Execute

5) Nap

6) Repeat





Prompt Step

(uses **PS1** variable)

/home/cis90/simben \$

bash using your PS1 variable creates and outputs your prompt which is written to your terminal device

- Benji is using the bash shell. There are many other shells such as sh, ksh and csh. In `/etc/passwd` the last field in the line for his account determines the shell that is run when logging in.

```
/home/cis90/simben $ grep $LOGNAME /etc/passwd
simben90:x:1001:190:Benji Simms:/home/cis90/simben:/bin/bash
```

- The bash program resides in the `/bin` directory.

```
/home/cis90/simben $ ls -l /bin/bash
-rwxr-xr-x. 1 root root 874248 May 10 2012 /bin/bash
```

- The command prompt appearance is defined by the PS1 variable. You can output a prompt yourself using **echo \$PS1**

```
/home/cis90/simben $ echo $PS1
$PWD $
/home/cis90/simben $ echo $PWD $
/home/cis90/simben $
/home/cis90/simben $
```




Prompt Step

*Note there is an invisible
<newline> metacharacter at
the end of the command*


```
/home/cis90/simben $ find / -name *egg 2> /dev/null
```

*Benji types this find command in
response to the shell prompt*

The prompt step is not complete until the user type the Enter/Return key



Parse Step



1) Prompt

2) Parse

3) Search

4) Execute

5) Nap

6) Repeat





Parse Step

The shell uses spaces to separate options, arguments and redirection

find **/** **-name** ***egg** **2>** **/dev/null**

The shell must expand filename expansion characters and variables during the parse step. Note there is an invisible <newline> metacharacter at the end of the command

Parsing RESULTS:

Command: **find**

Options and arguments:

/

-name

1968.egg

This will be passed to the command (if the command can be located on the path)

Redirection:


Connect **stderr** to **/dev/null** (the "bit bucket")

This will be handled by the shell. The command, if loaded, will not see this

Note: Because Benji had a 1968.egg file in his home directory, the shell expands *egg to 1968.egg



Search Step



1) Prompt

2) Parse

3) Search

4) Execute

5) Nap

6) Repeat





Search Step (uses PATH variable)

Command: **find**

*The shell now must search, in order, every directory on Benji's path to locate the first occurrence of the **find** command.*

Benji's path is defined by the value of his PATH variable


- 1st directory searched: /usr/local/bin
- 2nd directory searched: /usr/bin
- 3rd directory searched: /usr/local/sbin
- 4th directory searched: /usr/sbin
- 5th directory searched: /home/cis90/simben/../../bin
- 6th directory searched: /home/cis90/simben/bin
- 7th directory searched: .

*The shell
locates the
find command
in the /usr/bin
directory*

```
/home/cis90/simben $ echo $PATH
/usr/local/bin:/usr/bin:/usr/local/sbin:/usr/sbin:/home/cis90/simben/../../bin:/home/cis90/simben/bin:..
/home/cis90/simben $ type find
find is /usr/bin/find
```




Execute Step




- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute**
- 5) Nap
- 6) Repeat





Execute Step




bash executes the **find** command by:

- 1) Cloning itself with a **fork()** system call to create a new child process.
- 2) With an **exec()** system call, the new child process is overlaid with the **find** code instructions.
- 3) **bash** sleeps by making a **wait()** system call while the **find** child process runs.
- 4) The child process makes an **exit()** system call when it has finished.
- 5) After that, the parent **bash** process wakes up and the child process is killed.




Execute Step

```
/home/cis90/simben $ find / -name *egg 2> /dev/null
```



This is what the find process might look like




A process:

- Is provided with parsed & expanded options and arguments from the shell
- may read from **stdin**
- may write to **stdout**
- may write error messages to **stderr**
- and may get interrupted from time to time by a **signal**

*The **find** process is running*



Nap Step




- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap**
- 6) Repeat





Nap Step



The PS command shows Benji's **find** command is running as a child process while the parent bash shell sleeps

Sleeping

```
[rsimms@oslab ~]$ ps -l -u simben90
```

F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
5	S	1001	1475	1470	0	80	0	-	3392	?	?	00:00:00	sshd
0	S	1001	1476	1475	0	80	0	-	1308	?	pts/1	00:00:00	bash
0	R	1001	1570	1476	40	80	0	-	1179	?	pts/1	00:00:00	find


Parent

Child

Running



Repeat Step




- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat**





Repeat Step



*The child process makes an **exit()** system call when it has finished. The parent bash process wakes up, the child process is killed and we are ready to start the process all over again with the next command.*

Process activity

- Start a second login session and see if you can illustrate the parent sleeping while a child runs.
- In one session run: `grep -r "playing hot potato" /usr`
- In the second session use repeatedly: `ps -lu $LOGNAME`
- The **ps** output should show "parent" bash S=Sleeping while the "child" **grep** command is either R=Running or in D=Uninterruptible sleep (IO)

```
simben90@opus-iii:~$ grep -r "playing hot potato" /usr
grep: /usr/bin/staprun: Permission denied
grep: /usr/bin/chfn: Permission denied
grep: /usr/bin/chsh: Permission denied
grep: /usr/bin/ssh-agent: Permission denied
grep: /usr/bin/sudo: Permission denied
grep: /usr/bin/sudoreplay: Permission denied
grep: /usr/sbin/build-locale-archive: Permission denied
grep: /usr/sbin/glibc_post_upgrade.x86_64: Permission denied
grep: /usr/sbin/unix_update: Permission denied
grep: /usr/sbin/groupadd: Permission denied
grep: /usr/sbin/groupdel: Permission denied
grep: /usr/sbin/groupmems: Permission denied
```

```
simben90@opus-iii:~$ ps -lu $LOGNAME
```

	F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
4	S	1201	3163	3157	0	80	0	-	28881	do_wai	pts/2	00:00:00	bash	
4	S	1201	3202	3194	0	80	0	-	28881	do_wai	pts/1	00:00:00	bash	
0	R	1201	3252	3163	99	80	0	-	29687	-	pts/2	00:00:03	grep	
0	R	1201	3284	3202	0	80	0	-	37766	-	pts/1	00:00:00	ps	

```
/home/cis90/simben $ ps -lu $LOGNAME
```

	F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
4	S	1201	3163	3157	0	80	0	-	28881	do_wai	pts/2	00:00:00	bash	
4	S	1201	3202	3194	0	80	0	-	28881	do_wai	pts/1	00:00:00	bash	
0	R	1201	3252	3163	94	80	0	-	29687	-	pts/2	00:00:05	grep	
0	R	1201	3288	3202	0	80	0	-	37766	-	pts/1	00:00:00	ps	

```
/home/cis90/simben $
```

*Write your parent
bash status and PID
into the chat window*





Signals (Review)


Signals

PLATE 4

COMMERCIAL CODE SIGNALS					
<p>EXAMPLES OF THE SEVERAL HOISTS WHICH CAN BE MADE HAVING TWO, THREE, OR FOUR FLAGS. When a word contains two letters of the same name, the second time of its occurrence it must begin or be in the 2nd Hoist; and on its 3rd occurrence, it must begin or be in the 3rd Hoist.</p>					
URGENT & IMPORTANT SIGNALS		COMPASS SIGNALS 3 FLAGS			
CODE FLAG OVER 1 FLAG OR 2 FLAG SIGNALS					
CODE FLAG P	A	A	Q	K	X
"I Am about to Sail"	"Do Not"		N 1/2 E	S 57° W	
LATITUDE & LONGITUDE SIGNALS		CODE FLAG OVER 2 FLAGS			
CODE FLAG A	Q	CODE FLAG E	Q	Y	Z
OR H	OR H	OR Y	OR Y	OR Y	OR Y
12° Latitude	North Latitude	23° Longitude	East Longitude		
NUMERAL TABLE		GENERAL VOCABULARY			
CODE FLAG UNDER 2 FLAGS		3 FLAG SIGNAL			
Y	S	I	X	K	
CODE FLAG 10,000		Tons of Coal			
ALPHABETICAL SPELLING TABLE		GEOGRAPHICAL SIGNALS ALPHABETICAL ORDER			
SPELLING SIGNAL	4 FLAG SIGNALS	4 FLAG SIGNAL			
J	C	A	E	Y	Z
O	B	S			
H	D	F			
N	N	P			
John	Abb	off			
		NAMES OF VESSELS FROM CODE LIST			
		4 FLAG SIGNAL			
		H	C	L	B
		Glasgow of Glasgow			
		1058 Tons N° 52636			



This is what a process might look like



A process:

- Is provided with parsed/expanded options and arguments from the shell
- may read from **stdin**
- may write to **stdout**
- may write error messages to **stderr**
- and may get interrupted from time to time by a **signal**

*A **process** is a **program** that has been loaded into memory and is either running (executing instructions) or waiting to run*

Signals

The result of sending a signal to a process:

- be ignored
- default action (die)
- execute some predefined function



Signals

SIGHUP	1	Hangup (POSIX)	
SIGINT	2	Terminal interrupt (ANSI)	Ctrl-C
SIGQUIT	3	Terminal quit (POSIX)	Ctrl-\
SIGILL	4	Illegal instruction (ANSI)	
SIGTRAP	5	Trace trap (POSIX)	
SIGIOT	6	IOT Trap (4.2 BSD)	
SIGBUS	7	BUS error (4.2 BSD)	
SIGFPE	8	Floating point exception (ANSI)	
SIGKILL	9	Kill (can't be caught or ignored) (POSIX)	
SIGUSR1	10	User defined signal 1 (POSIX)	
SIGSEGV	11	Invalid memory segment access (ANSI)	
SIGUSR2	12	User defined signal 2 (POSIX)	
SIGPIPE	13	Write on a pipe with no reader, Broken pipe (POSIX)	
SIGALRM	14	Alarm clock (POSIX)	
SIGTERM	15	Termination (ANSI)	

Use kill -l to see all signals

Signals

SIGSTKFLT	16	Stack fault
SIGCHLD	17	Child process has stopped or exited, changed (POSIX)
SIGCONT	18	Continue executing, if stopped (POSIX)
SIGSTOP	19	Stop executing(can't be caught or ignored) (POSIX)
SIGTSTP	20	Terminal stop signal (POSIX) Ctrl-Z or Ctrl-F
SIGTTIN	21	Background process trying to read, from TTY (POSIX)
SIGTTOU	22	Background process trying to write, to TTY (POSIX)
SIGURG	23	Urgent condition on socket (4.2 BSD)
SIGXCPU	24	CPU limit exceeded (4.2 BSD)
SIGXFSZ	25	File size limit exceeded (4.2 BSD)
SIGVTALRM	26	Virtual alarm clock (4.2 BSD)
SIGPROF	27	Profiling alarm clock (4.2 BSD)
SIGWINCH	28	Window size change (4.3 BSD, Sun)
SIGIO	29	I/O now possible (4.2 BSD)
SIGPWR	30	Power failure restart (System V)

Use kill -l to see all signals

Signals



Signals are asynchronous messages sent to processes

They can result in one of three courses of action:

1. be ignored,
2. default action (die)
3. execute some predefined function.

Signals are sent:



Using the kill command: **\$ kill -# PID**

- Where # is the signal number and PID is the process id.
- if no number is specified, SIGTERM (-15) is sent.




Using special keystrokes

- limited to just a few signals
- limited to when you have control of the keyboard

Use kill -l to see all signals



Target Practice



Activity

- 1) Run the **annoy** program
 - 2) Try sending it a SIGINT with **Ctrl-C**
 - 3) Try sending it a SIGQUIT with **Ctrl-**
 - 4) Bring up another terminal and try signals 1 through 64
 - Use **ps -u \$LOGNAME** to find the **annoy PID**
 - Try **kill -1 PID**
 - Try **kill -2 PID**
 - Try **kill -3 PID**
 - *and so forth ...*
- OR*
- Try **killall -1 annoy**
 - Try **killall -2 annoy**
 - Try **killall -3 annoy**
 - *and so forth ...*

*Write the signals that kill **annoy** into the chat window*




Using &

to run a command
in the background

Job Control

Using **&** to run a command in the background



Job Control

Using **&** to run a command in the background

The screenshot shows a Linux desktop environment. In the foreground, a terminal window titled 'cis90@eko: ~' displays the following commands and output:

```

cis90@eko:~$ firefox
cis90@eko:~$ firefox &
[1] 1465
cis90@eko:~$ ps
  PID TTY          TIME CMD
 1370 pts/0    00:00:00 bash
  1465 pts/0    00:00:00 firefox
  1470 pts/0    00:00:00 run-moz
  1474 pts/0    00:00:01 firefox
  1489 pts/0    00:00:00 ps
cis90@eko:~$
  
```

The command 'firefox &' is highlighted with a red box. Below the terminal output, a blue-bordered box contains the text: "After running Firefox in the background, it is still possible to enter more commands."

In the background, a Mozilla Firefox browser window titled 'Ubuntu Start Page - Mozilla Firefox' is open, displaying the Ubuntu Start Page at 'http://start.ubuntu.com/1'. The browser's address bar, search bar, and navigation buttons are visible.

& append to a command to run it in the background

Example 1

```
/home/cis90/simben $ grep -r "playing hot potato" /usr 2> /dev/null
```

 **No prompt**

For long running commands or scripts you must wait for the command to finish before you type more commands

Example 2

```
/home/cis90/simben $ grep -r "playing hot potato" /usr /opt 2> /dev/null &  
[1] 7921  
/home/cis90/simben $ date  
Fri Apr 13 13:44:00 PDT 2018
```

Hit enter to get the prompt and continue working while the find command runs in the background



Job Control (Review)

Job Control



A feature of the bash shell

&	Append to a command to run it in the background
bg	Resumes a suspended job in the background
fg	Brings the most recent background process to the foreground
jobs	Lists all background jobs


*Use **jobs**, **bg**, **fg** to list and resume jobs in the foreground or background*

Job Control A feature of the bash shell

When a process is **running** (status=R) the user can **stop** it (status=T) and choose whether it runs in the **background** or **foreground**



Job Control A feature of the bash shell



Use the **jobs** command to view
stopped and background jobs

Job Control

Find out with keystroke combination is configured to suspend a process

Note: ^ is the Ctrl key

```
/home/cis90ol/simmsben $ stty -a
speed 38400 baud; rows 24; columns 80; line = 0;
intr = ^C; quit = ^\; erase = ^?; kill = ^U; eof = ^D; eol = <undef>;
eol2 = <undef>; swtch = <undef>; start = ^Q; stop = ^S; susp = ^F; rprnt = ^R;
werase = ^W; lnext = ^V; flush = ^O; min = 1; time = 0;
-parenb -parodd cs8 -hupcl -cstopb cread -clocal -crtscts -cdtrdsr
-ignbrk -brkint -ignpar -parmrk -inpck -istrip -inlcr -igncr icrnl ixon -ixoff
-iuclc -ixany -imaxbel -iutf8
opost -olcuc -ocrnl onlcr -onocr -onlret -ofill -ofdel nl0 cr0 tab0 bs0 vt0 ff0
isig icanon iexten echo echoe echok -echonl -noflsh -xcase -tostop -echoprt
echoctl echoke
/home/cis90ol/simmsben $
```

In this case it is Ctrl-F that will be used to suspend a process

How is yours configured?

Job Control

Managing jobs

```
/home/cis90ol/simmsben $ sleep 120  
Ctrl-Z or Ctrl-F (to suspend process)  
[1]+  Stopped                  sleep 120
```

```
/home/cis90ol/simmsben $ sleep 110  
Ctrl-Z or Ctrl-F (to suspend process)  
[2]+  Stopped                  sleep 110
```

```
/home/cis90ol/simmsben $ sleep 100  
Ctrl-Z or Ctrl-F (to suspend process)  
[3]+  Stopped                  sleep 100
```

```
/home/cis90ol/simmsben $ jobs  
[1]  Stopped                  sleep 120  
[2]-  Stopped                  sleep 110  
[3]+  Stopped                  sleep 100
```

Lets start up 3 sleep commands and suspend each of them.

Note: The sleep command is a simple way to run a command that will take awhile to finish.

***sleep 120** will last 120 seconds before it is finished.*

Job Control

Managing jobs

```
/home/cis90ol/simmsben $ jobs
```

```
[1]      Stopped                sleep 120
[2]-     Stopped                sleep 110
[3]+     Stopped                sleep 100
```

```
/home/cis90ol/simmsben $ ps -l
```

F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
0	S	1082	5364	5363	0	75	0	-	1168	wait	pts/2	00:00:00	bash
0	T	1082	5452	5364	0	75	0	-	929	finish	pts/2	00:00:00	sleep
0	T	1082	5453	5364	0	75	0	-	929	finish	pts/2	00:00:00	sleep
0	T	1082	5454	5364	0	75	0	-	929	finish	pts/2	00:00:00	sleep
0	R	1082	5459	5364	0	77	0	-	1054	-	pts/2	00:00:00	ps

Note, all three processes are sTopped

Job Control

Managing jobs

```
/home/cis90ol/simmsben $ bg 2 Let's resume job 2 in the background
```

```
[2]- sleep 110 &
```

```
/home/cis90ol/simmsben $ jobs
```

```
[1]- Stopped sleep 120
```

```
[2] Running sleep 110 &
```

```
[3]+ Stopped sleep 100
```

```
/home/cis90ol/simmsben $ bg 1 Let's resume job 1 in the background
```

```
[1]- sleep 120 &
```

```
/home/cis90ol/simmsben $ jobs
```

```
[1] Running sleep 120 &
```

```
[2]- Running sleep 110 &
```

```
[3]+ Stopped sleep 100
```

```
/home/cis90ol/simmsben $ fg 3 Let's resume job 1 in the foreground
```

```
sleep 100
```

*At this point we lose control of the keyboard again
until sleep 100 is finished*

Job Control

Managing jobs

```
/home/cis90ol/simmsben $ jobs  
[1]-  Done  
sleep 120  
[2]+  Done  
sleep 110
```

*Background jobs are
all done!*



Load Balancing & Scheduling (Review)

Load Balancing

The **at** command:

- reads from stdin for a list of commands to run
- runs those commands at the specified time
- Any output from those commands will be emailed
- Use **atq** and **atrm** to manage scheduled commands

*Use **at** to schedule commands to run in the future*

Load Balancing

Managing queued jobs

`at now + 5 minutes`

`at now + 1 hour`

`at 7:58AM`

`at 7:47PM 11/25/2016`

`at teatime`

Ways to specify future times

Load Balancing

Managing queued jobs

```
/home/cis90/simben $ atq
```

```
25      2011-11-12 14:09 a  simben90
28      2011-12-12 03:00 a  simben90
27      2011-11-19 12:10 a  simben90
26      2011-11-12 16:00 a  simben90
24      2011-11-12 12:14 a  simben90
```

*The **atq** command lists jobs queued to run in the future*

```
/home/cis90/simben $ atrm 24
```

```
/home/cis90/simben $ atq
```

```
25      2011-11-12 14:09 a  simben90
28      2011-12-12 03:00 a  simben90
27      2011-11-19 12:10 a  simben90
26      2011-11-12 16:00 a  simben90
```

*The **atrm** command is used to remove jobs from the queue*

```
/home/cis90/simben $ jobs
```

*Note: The **jobs** command lists processes running or suspended in the background and is NOT used for **at** commands.*

Load Balancing

Try it yourself with your own terminal device and username:

```
[rsimms@oslab ~]$ tty
/dev/pts/xx
```

These should match

```
[rsimms@oslab ~]$ at now + 2 minutes
at> echo "Take Benji for a walk" | mail -s "walk the dog" $LOGNAME
at> echo "Read your mail" > /dev/pts/xx
at> <EOT> Ctrl-D
job 11 at 2012-11-05 11:02
[rsimms@oslab ~]$ atq
11      2012-11-05 11:02 a rsimms
[rsimms@oslab ~]$
```

Type what happens in the chat window:

text editors

There are lots of text editors ...

Windows

notepad
notepad++
textpad

Text editors and word processors are different!

Mac

TextWrangler

- *Word processors are used by many different people to create documents containing text and graphics.*



Linux

gedit
emacs
nano
vi
jove

- *Text editors are used by programmers to develop software and web designers to create web sites.*



Thanks Maria!



Word processors allow a rich set of formatting (fonts, sizes, styles, color) and graphics to be added to documents.

Text editors use color to show the language syntax

vi 101

On Opus-II we are actually running VIM

```
/home/cis90/simben $ type -a vi  
vi is aliased to `vim'  
vi is /bin/vi  
/home/cis90/simben $ type vim  
vim is hashed (/usr/bin/vim)
```

History:


- The original vi code was written by Bill Joy for BSD Unix
- Bill Joy co-founded Sun Microsystems in 1982
- vi (for "visual")
- vim is an enhanced version of vi

```
/home/cis90/simben $
```

```
/home/cis90/simben $ vi dogbone
```


Type this

See this ...




Take your hands OFF THE MOUSE – don't use it in vi!

*Tap the letter **i** key (for insert)*



Keep your hands OFF THE MOUSE – don't use it in vi!

See this ...



Keep your hands OFF THE MOUSE – don't use it in vi!

[illegible]

Keep your hands OFF THE MOUSE – don't use it in vi!

A screenshot of a terminal window titled "simben90@opus:~". The terminal displays a series of shell commands being executed:


```
echo -n "What is your name? "  
read NAME  
echo -n "What is your favorite bone? "  
read BONE  
echo "Hi $NAME, your favorite bone is $BONE"
```

A green cursor is visible on the line following the last command. Below the main code block, there are several tilde (~) symbols representing additional lines of output or code. At the bottom left of the terminal, it says "-- INSERT --". At the bottom right, it shows "6,1" and "All". The terminal has standard window controls (minimize, maximize, close) at the top right.

Keep your hands OFF THE MOUSE – don't use it in vi!

[illegible]

Keep your hands OFF THE MOUSE – don't use it in vi!




The screenshot shows a terminal window with a title bar that reads "simben90@opus:~". The terminal contains the following commands and their output:

```
echo -n "What is your name? "  
read NAME  
echo -n "What is your favorite bone? "  
read BONE  
echo "Hi $NAME, your favorite bone is $BONE"
```

Below the script, there are several tilde (~) characters, likely representing input or output, followed by a green cursor at the bottom left.

Keep your hands OFF THE MOUSE – don't use it in vi!

Type **wq**



A terminal window titled 'simben90@opus:~' showing a script being edited in the vi editor. The script contains the following lines:

```
echo -n "What is your name? "  
read NAME  
echo -n "What is your favorite bone? "  
read BONE  
echo "Hi $NAME, your favorite bone is $BONE"
```

The terminal shows several tilde (~) characters representing input, and a green cursor is visible at the end of the line ':wq'.

Keep your hands OFF THE MOUSE – don't use it in vi!



Tap the enter key

```
/home/cis90/simben $ vi dogbone  
/home/cis90/simben $
```




Add execute permissions and try your new script

```
/home/cis90/simben $ chmod +x dogbone  
  
/home/cis90/simben $ dogbone  
What is your name? Benji  
What is your favorite bone? chicken  
Hi Benji, your favorite bone is chicken  
/home/cis90/simben $
```

vi


COMMAND mode
INSERT mode
command LINE mode

```
/home/cis90/simben $ cp letter myletter
/home/cis90/simben $ vi myletter
```

-- INSERT -- mode

COMMAND mode

-- VISUAL -- mode



Command LINE mode



vi

Moving around in a file

Use in COMMAND mode

- h** moves the cursor one character to the left
- j** moves the cursor down one line
- k** moves the cursor up one line
- l** moves the cursor one character to the right

Try typing a number in front of these commands and notice what happens

- ^d** scrolls down 10 lines
- ^u** scrolls up 10 lines
- ^f** page forward one page
- ^b** page back one page

With vim (not vi) you can use arrow and page keys instead of these letter commands

Note: ^ is the Ctrl key

vi

Moving around in a file

Use in COMMAND mode

w moves the cursor one "word" forward

b moves the cursor one "word" back

*Try typing a number in front
of these commands and
notice what happens*

0 (zero) moves the cursor to the beginning of the line

\$ moves the cursor to the end of the line

G moves the cursor to the last line in the file

1G moves the cursor to the first line in the file

105G moves the cursor to line 105

vi

Saving and Quitting

Use in command LINE mode

:w writes any changes to the file you are editing (like Save)

:q quits vi if you have saved your changes

:q! quits vi even if you haven't saved changes

:wq writes and quits

:wq! writes and quits vi even if you haven't saved changes

vi

Reading in and Writing out files

Use in command LINE mode

:w filename saves your file to a new name (like Save As)

:w! filename saves your file to a new name overwriting any previous data

:r filename reads in the contents of *filename* starting from the cursor position

:e filename replaces the current content with the content from *filename*

:%s /string1/string2/g replaces all string1 with string2 in the file

vi

Entering INSERT mode

From COMMAND mode.

- i** Ready to insert characters immediately before the current cursor position
- I** Ready to insert characters at the start of the current line

- a** Ready to append characters immediately after the current cursor position
- A** Ready to append characters at the end of the current line

- o** Ready to input characters in a new line that opens up below the cursor
- O** Ready to input characters in a new line that opens up above the cursor

vi

Cut, Copy, Pasting Commands

Use in COMMAND mode

x Deletes the current character

r Replace the current character with the character you type next

dw Deletes the current word

dd Deletes the current line

D Deletes to the end of the line

yy Copies a line to the clipboard buffer

p Pastes whatever is in the clipboard buffer below the current cursor

P Pastes whatever is in the clipboard buffer above the current cursor

vi

Miscellaneous Useful Commands

Use in COMMAND mode.

^g Tells you the filename you are editing and what line your cursor is on

u Undoes the last command you executed

^r Undo the undo (redo)

. Repeats the last command you executed

/string Searches for the string of characters in the file

n Finds the next occurrence of the current search string looking down the file

N Finds the next occurrence of the current search string looking up the file

~ Changes the case of the current character

Note: ^ is the Ctrl key

Use vi to edit your *edits/text.err* file

```
This is line number1.  
This is line number 1.  
Thi sis line line number 2.  
his is line number3.line number3.  
This is This is line #4.  
this number5 is line .  
Here is line number      6.  
This is lamw number      7.  
Thi is line number9.  
This is line  
number10.
```



```
This is line number 1.  
This is line number 2.  
This is line number 3.  
This is line number 4.  
This is line number 5.  
This is line number 6.  
This is line number 7.  
This is line number 8.  
This is line number 9.  
This is line number 10.
```

Copy your corrected file into the chat window when finished

http://vim.wikia.com/wiki/Main_Page



Tips and tricks for VIM users

The Mug of vi

The Mug of Vi - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://nostarch.com/mug.htm


Disable Cookies CSS Forms Images Information Miscellaneous Outline Resize Tools View Source Options

Cabrillo College Home Page (0 unread) Yahoo! Mail, richsimms The Mug of Vi Sams Publishing - Contact Us

NO STARCH PRESS
"the finest in geek entertainment"™

Home | Catalog | Where to buy | About | Jobs | Media | Blog | Cart

Google Custom Search Search



The Mug of Vi
12 ounce heavy-duty
\$12.95

Order now

Hydration harmony

Copyright

[See mug text](#)

Done

Big Mug Label - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://nostarch.com/mug_big.htm

Disable Cookies CSS Forms Images Information Miscellaneous Outline Resize Tools View Source Options

Cabrillo College Home Page (0 unread) Yahoo! Mail, richsimms Big Mug Label Sams Publishing - Contact Us

NO STARCH PRESS
"the finest in geek entertainment"™

Home | Catalog | Where to buy | About | Jobs | Media | Blog | Cart


Google Custom Search Search

Click on the image to return to **Mug of Vi** main page.

THE MUG OF VI		FILE COMMANDS		DELETING /INSERTING TEXT		MOVING AROUND		CUT / COPY / PASTE		WICKED COOL STUFF		
vi	filename(s)	edit a file or files	dw, dd, x	delete word, line, character	0	go to beginning of line (zero)	0	go to beginning of line (zero)	0	go to beginning of line (zero)	0	go to beginning of line (zero)
vi	-x filename	retrieve saved file after crash	ndd, nx	delete n lines, n characters), {	move to next, previous sentence), {	move to next, previous sentence), {	move to next, previous sentence), {	move to next, previous sentence
ZZ, :wq, :x		save and exit	x, X	delete character forward, backward	w, b	move forward, back one word	w, b	move forward, back one word	w, b	move forward, back one word	w, b	move forward, back one word
iq, :q!		quit; quit without saving	D, d\$	delete to end of line	e	go to end of current or next word	e	go to end of current or next word	e	go to end of current or next word	e	go to end of current or next word
:w, :wq, :w!	filename	save file, save file as filename	dmotion	delete from cursor to motion (\$, 0, etc.)								
:e filename		edit filename										
:r filename		insert filename	>, <	indent, outdent line	yy, nY	copy n lines	yy, nY	copy n lines	yy, nY	copy n lines	yy, nY	copy n lines
:sh		drop to shell	S	replace text with blank line	yw, yy	copy word, line	yw, yy	copy word, line	yw, yy	copy word, line	yw, yy	copy word, line
:!cmd		run command cmd	o, O	insert new line below, above	p, P	paste text after, before cursor	p, P	paste text after, before cursor	p, P	paste text after, before cursor	p, P	paste text after, before cursor
:r !cmd		execute cmd and insert output	o, O	current line	a, i	insert text after, before cursor	a, i	insert text after, before cursor	a, i	insert text after, before cursor	a, i	insert text after, before cursor
/txt, ?txt		find txt forward or backward	u	undo last change	A, I	insert text end, beginning of line	A, I	insert text end, beginning of line	A, I	insert text end, beginning of line	A, I	insert text end, beginning of line
/*txt		find next line that starts with txt	u	repeat last change	~	change case	~	change case	~	change case	~	change case
n, N		repeat last search backward, forward			xp	transpose characters	xp	transpose characters	xp	transpose characters	xp	transpose characters
R		replace text from current character			nG	combine current line with next	nG	combine current line with next	nG	combine current line with next	nG	combine current line with next
					h, l, k, j	left, right, up, down one character	h, l, k, j	left, right, up, down one character	h, l, k, j	left, right, up, down one character	h, l, k, j	left, right, up, down one character
					nb, nw	left or right n words	nb, nw	left or right n words	nb, nw	left or right n words	nb, nw	left or right n words
					CTRL-B, F	back, forward one screen	CTRL-B, F	back, forward one screen	CTRL-B, F	back, forward one screen	CTRL-B, F	back, forward one screen
					CTRL-U, D	up, down one screen	CTRL-U, D	up, down one screen	CTRL-U, D	up, down one screen	CTRL-U, D	up, down one screen
					\$, G	go to end of line, end of file	\$, G	go to end of line, end of file	\$, G	go to end of line, end of file	\$, G	go to end of line, end of file

Done

CafePress - VI Reference Mug



Amazon.com | CafePress

Secure | https://www.amazon.com/CafePress-Reference-Mug-Unique-Coffee/dp/B0725PLKQ

NEW & INTERESTING FINDS ON AMAZON EXPLORE

amazon Home & Kitchen

Deliver to Richard Soquel 95073

Departments Browsing History Richard's Amazon.com Today's Deals

prime student 50% off Prime for College Students. LEARN MORE

Home & Kitchen > Kitchen & Dining > Dining & Entertaining > Novelty > Drinkware > Coffee Mugs

CafePress

CafePress - Vi Reference Mug - Unique Coffee Mug, Coffee Cup

★★★★☆ 3 customer reviews

Price: \$14.95 & FREE Shipping

Get \$50 off instantly: Pay \$0.00 upon approval for the Amazon Rewards Card

In Stock.

Get it as soon as April 18 - 23 when you choose Expedited Shipping. Ships from and sold by CafePress.

Size: Small

Small Mega

Color: White/Black Inside

- Small White & White / Black Coffee Mug is 3.75"x3", 11 oz capacity. Option is 4.75"x3.25", 20 oz capacity.
- Durable white ceramic with easy grip handle give a classic coffee cup feel.
- Coffee cup designs are professionally printed. Make someone smile.

Roll over image to zoom in

COLLEGE STUDENT? Start a 6-month trial of Prime Student at no cost. 50% off Prime after.

prime student Close and Don't show me this again



/bin/mail and vi

```
/home/cis90/simben $ mail milhom90
```

```
Subject: Good Bones
```

```
Hey Homer,
```

```
I really appreciate thatbone you sent me last week.
```

```
Let me knwo if you want to go mark some fench posts  
this weekend.
```

```
Later,
```

```
Ben
```

*You are composing a message and you spot some typos ...
CRUD ... what can you do?*

/bin/mail and vi

```
/home/cis90/simben $ mail milhom90
```

```
Subject: Good Bones
```

```
Hey Homer,
```

```
I really appreciate thatbone you sent me last week.
```

```
Let me knwo if you want to go mark some fench posts  
this weekend.
```


```
Later,
```

```
Ben
```

```
~v
```

Well ... you could try the ~v command

/bin/mail and vi



The screenshot shows a terminal window titled "simben90@oslab:~". The window contains the following text:

```
I really appreciate that bone you sent me last week.  
Let me know if you want to go mark some fence posts  
this weekend.  
Later,  
Benji
```

Below the message, there are several tilde (~) characters, likely representing a scrollback buffer or a series of newlines. At the bottom of the window, a status bar indicates: `"/tmp/ReJZQRnV" 6L, 143C written`.

The message is loaded into vi where changes or additions can be made. :wq is used to save and quit vi

/bin/mail and vi

```
/home/cis90/simben $ mail milhom90
Subject: Good Bones
Hey Homer,
I really appreciate thatbone you sent me last week.
Let me knwo if you want to go mark some fench posts
this weekend.
Later,
Ben
~v
(continue)
.
EOT
/home/cis90/simben $
```

The earlier text with typos is still showing, however the corrected version is what is actually sent.

/bin/mail and vi

```
/home/cis90/milhom $ mail
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"/var/spool/mail/milhom90": 157 messages 5 new 155 unread
>N157 Benji Simms          Mon Nov 10 14:05  25/952  "Good Bones"
& 157
Message 157:
From simben90@oslab.cis.cabrillo.edu  Mon Nov 10 14:05:20 2014
Return-Path: <simben90@oslab.cis.cabrillo.edu>
From: Benji Simms <simben90@oslab.cis.cabrillo.edu>
Date: Mon, 10 Nov 2014 14:05:20 -0800
To: milhom90@oslab.cis.cabrillo.edu
Subject: Good Bones
User-Agent: Heirloom mailx 12.4 7/29/08
Content-Type: text/plain; charset=us-ascii
Status: R
```

```
Hey Homer,
I really appreciate that bone you sent me last week.
Let me know if you want to go mark some fence posts
this weekend.
Later,
Benji
```

*The message Homer reads has all the
typos fixed.*

&

Fix an email message before sending

```
/home/cis90/simben/edits $ mail rsimms
Subject: test of vi
sdkfjas;dfllkjas;lkdfj
~v
(continue)
.
EOT
/home/cis90/simben/edits $
```

In vi:

- Use i to enter insert mode
- make changes
- save with <Esc>:wq



A Tangent on Spell

spell command

```
/home/cis90/roddyduk/edits $ cat text  
Welcome to the CIS 90 class !!
```

```
/home/cis90/roddyduk/edits $ spell text  
CIS
```

***spell** command flags CIS as misspelled word.*

How can we add CIS to the dictionary?

spell command

```
/home/cis90/roddyduk/edits $ cat text
Welcome to the CIS 90 class !!
/home/cis90/roddyduk/edits $ spell text
CIS
```

*How can we add CIS
to the dictionary?*

```
/home/cis90/roddyduk/edits $ man spell
No manual entry for spell
/home/cis90/roddyduk/edits $ type spell
spell is hashed (/usr/bin/spell)
/home/cis90/roddyduk/edits $ file /usr/bin/spell
/usr/bin/spell: Bourne shell script text executable
/home/cis90/roddyduk/edits $ cat /usr/bin/spell
#!/bin/sh
```

*Hmmm. No man page
for spell ????????????*

aspell list mimicks the standard unix spell program, roughly.

```
cat "$@" | aspell list --mode=none | sort -u
```

*OK, the actual
command is **aspell***

```
/home/cis90/roddyduk/edits $
```

spell command

ASPELL(1)

Aspell Abbreviated User's Manual

ASPELL(1)

NAME

aspell - interactive spell checker

SYNOPSIS

aspell [options] <command>

DESCRIPTION

aspell is a utility that can function as an ispell -a replacement, as an independent spell checker, as a test utility to test out Aspell features, and as a utility for managing dictionaries.

COMMANDS

<command> is one of:

-?,help


display the help message

-c,check file

to spell-check a file

There must be a way to add CIS but ... lets try google

spell command



*How to add words
to your dictionary*

If your language is English, create a file in your home directory called ".aspell.en.pws":

```
personal_ws-1.1 en 0
Samat
quasirhombicosidodecahedron
```

Googling "linux aspell personal dictionary" yields this page

Bingo! Thank you Samat Jain

spell command

```
/home/cis90/roddyduk/edits $ cd  
/home/cis90/roddyduk $ echo "personal_ws-1.1 en 0" > .aspell.en.pws  
/home/cis90/roddyduk $ echo "CIS" >> .aspell.en.pws  
/home/cis90/roddyduk $ cd edits/  
/home/cis90/roddyduk/edits $ spell text
```

This is how you would add your own custom dictionary to be used with spell checks

```
/home/cis90/simben $ cat edits/spellk  
Spell Check
```

```
Eye halve a spelling chequer  
It came with my pea sea  
It plainly marques four my revue  
Miss steaks eye kin knot sea.  
Eye strike a key and type a word  
And weight four it two say  
Weather eye am wrong oar write  
It shows me strait a weigh.  
As soon as a mist ache is maid  
It nose bee fore two long  
And eye can put the error rite  
Its rare lea ever wrong.  
Eye have run this poem threw it  
I am shore your pleased two no  
Its letter perfect awl the weigh  
My chequer tolled me sew.
```


```
/home/cis90/simben $ spell edits/spellk  
chequer
```

How would you add "chequer"
(the British spelling) to your
personal dictionary?

*Copy the commands used into
the chat window when finished*

Assignment





Lab 9 will help
you start building
your vi skills!

Instructor: remember to mail students the tech file!

~/cis90/lab09/mail-langs-all

or

at <end-of-class>

at> /home/rsimms/cis90/lab09/mail-langs-all

at> <Ctrl-d>

A full-page background image showing a sunset over a beach. The sky is filled with vibrant orange, pink, and purple clouds. The sun is low on the horizon, casting a warm glow. To the right, a dark, silhouetted cliff rises from the beach. The foreground shows the wet sand of the beach reflecting the colors of the sky, with some dark rocks scattered about.

Wrap up

New commands:

vi

Run vi editor

New Files and Directories:

na

na

Next Class

Assignment: Check Calendar Page on web site to see what is due next week.

Lab 9
Five Posts

Quiz questions for next class:

- How do you send a SIGKILL to one of your own processes?
- What vi command is used to exit vi without saving any of the changes you made?
- What vi commands are used for copy and paste?

Backup

The mystery of Ctrl-Z vs Ctrl-F

Signals

Special keystrokes

Note: ^ is the Ctrl key

```
/home/cis90/roddyduk $ stty -a
speed 38400 baud; rows 26; columns 78; line = 0;
intr = ^C; quit = ^\; erase = ^?; kill = ^U; eof = ^D; eol = <undef>;
eol2 = <undef>; swch = <undef>; start = ^Q; stop = ^S; susp = ^F; rprnt = ^R;
werase = ^W; lnext = ^V; flush = ^O; min = 1; time = 0;
```

Ctrl-f

```
[rsimms@opus ~]$ stty -a
speed 38400 baud; rows 39; columns 84; line = 0;
intr = ^C; quit = ^\; erase = ^?; kill = ^U; eof = ^D; eol = <undef>; eol2 = <undef>;
swch = <undef>; start = ^Q; stop = ^S; susp = ^Z; rprnt = ^R; werase = ^W;
lnext = ^V; flush = ^O; min = 1; time = 0;
```

Ctrl-z

Why does the keystroke to send a Suspend (SIGTSTP or 20) signal differ between roddyduk (Ctrl-F) and rsimms (Ctrl-Z)?

Job Control

A feature of the bash shell



Ctrl-Z or Ctrl-F (sends SIGTSTP 20 signal)

- Stops (suspends) a foreground process

```
[rsimms@opus ~]$ sleep 5
```

```
[1]+  Stopped                  sleep 5
```

Ctrl-Z is tapped which stops the sleep command

PID 7728 is stopped

```
[rsimms@opus ~]$ ps -l -u rsimms
```

F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
5	S	201	5368	5365	0	75	0	-	2460	-	?	00:00:00	sshd
0	S	201	5369	5368	0	76	0	-	1165	wait	pts/0	00:00:00	bash
5	S	201	6203	6200	0	75	0	-	2491	-	?	00:00:00	sshd
0	S	201	6204	6203	0	75	0	-	1165	-	pts/6	00:00:00	bash
0	T	201	7728	6204	0	75	0	-	926	finish	pts/6	00:00:00	sleep
0	R	201	7730	5369	0	78	0	-	1062	-	pts/0	00:00:00	ps

```
[rsimms@opus ~]$
```

Job Control

A feature of the bash shell

bg command

- Resumes a suspended job in the background

```
[rsimms@opus ~]$ sleep 5
```

```
[1]+  Stopped                  sleep 5
```

```
[rsimms@opus ~]$ bg
```

```
[1]+ sleep 5 &
```

```
[rsimms@opus ~]$
```

bg resumes the sleep command

*PID 7728
is gone*

```
[rsimms@opus ~]$ ps -l -u rsimms
```

F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
5	S	201	5368	5365	0	75	0	-	2460	-	?	00:00:00	sshd
0	S	201	5369	5368	0	76	0	-	1165	wait	pts/0	00:00:00	bash
5	S	201	6203	6200	0	75	0	-	2491	-	?	00:00:00	sshd
0	S	201	6204	6203	0	75	0	-	1165	-	pts/6	00:00:00	bash
0	R	201	7742	5369	0	78	0	-	1061	-	pts/0	00:00:00	ps

```
[rsimms@opus ~]$
```

Signals

Jim's app script

```
rsimms@opus:/home/cis90/depot
#!/bin/sh
#
# app - script to demonstrate use of signals
#
# Usage:  run app with no options or parameters
#
# Send signals to it with keystrokes or kill command
#
# Notes:
# stty -echo stop the display of characters typed
# stty echo makes typed characters visible again
# stty susp ^Z sets suspend keystroke to Ctrl-Z (to stop foreground processes)
# stty susp @ sets suspend character to @ (to stop foreground processes)
#
trap '' 2 #Ignore SIGINT
trap 'echo -n quit it!' 3 #Handle SIGQUIT
trap 'stty echo susp ^Z;echo ee; echo cleanup;exit' 15 #Handle SIGTERM
clear
banner testing
stty -echo susp @
sleep 1
echo one
sleep 1
echo two
sleep 1
echo -n thr
while :
do sleep 1
done
~
```

This is why Ctrl-F (suspend) stopped working and we had to use Ctrl-Z

13,1 All



Tangent on bg and SIGCONT

Signals

*What is
signal
18?*

Running
process
gets a
signal



Signals

SIGSTKFLT	16	Stack fault
SIGCHLD	17	Child process has stopped or exited, changed (POSIX)
SIGCONT	18	Continue executing, if stopped (POSIX)
SIGSTOP	19	Stop executing(can't be caught or ignored) (POSIX)
SIGTSTP	20	Terminal stop signal (POSIX) Ctrl-Z or Ctrl-F
SIGTTIN	21	Background process trying to read, from TTY (POSIX)
SIGTTOU	22	Background process trying to write, to TTY (POSIX)
SIGURG	23	Urgent condition on socket (4.2 BSD)
SIGXCPU	24	CPU limit exceeded (4.2 BSD)
SIGXFSZ	25	File size limit exceeded (4.2 BSD)
SIGVTALRM	26	Virtual alarm clock (4.2 BSD)
SIGPROF	27	Profiling alarm clock (4.2 BSD)
SIGWINCH	28	Window size change (4.3 BSD, Sun)
SIGIO	29	I/O now possible (4.2 BSD)
SIGPWR	30	Power failure restart (System V)

Signal 18 continues a stopped process ... isn't that what bg does?

The bg command is used to resume a stopped process

```
/home/cis90/roddyduk $ sleep 60  
Ctrl-F (or Ctrl-Z) typed here  
[1]+  Stopped                  sleep 60  
/home/cis90/roddyduk $ bg  
[1]+  sleep 60 &  
/home/cis90/roddyduk $ jobs  
[1]+  Running                  sleep 60 &  
/home/cis90/roddyduk $ jobs  
[1]+  Running                  sleep 60 &  
/home/cis90/roddyduk $ jobs  
[1]+  Done                     sleep 60  
/home/cis90/roddyduk $
```

bg resumed the stopped process which runs till it is finished

*Instead of using **bg** to resume a stopped process in the background, lets try a **SIGCONT** (signal 18) instead*

```
/home/cis90/roddyduk $ sleep 60
```

Ctrl-F (or Ctrl-Z) typed here

```
[1]+  Stopped                  sleep 60
```

```
/home/cis90/roddyduk $ ps -l
```

F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
0	S	1000	10705	10704	0	76	0	-	1165	wait	pts/0	00:00:00	bash
0	T	1000	10743	10705	0	75	0	-	926	finish	pts/0	00:00:00	sleep
0	R	1000	10744	10705	0	78	0	-	1051	-	pts/0	00:00:00	ps

```
/home/cis90/roddyduk $ jobs
```

```
[1]+  Stopped                  sleep 60
```

```
/home/cis90/roddyduk $ kill -18 10743
```

```
/home/cis90/roddyduk $ jobs
```

```
[1]+  Running                  sleep 60 &
```

```
/home/cis90/roddyduk $ ps -l
```

F	S	UID	PID	PPID	C	PRI	NI	ADDR	SZ	WCHAN	TTY	TIME	CMD
0	S	1000	10705	10704	0	75	0	-	1165	wait	pts/0	00:00:00	bash
0	S	1000	10743	10705	0	85	0	-	926	322800	pts/0	00:00:00	sleep
0	R	1000	10746	10705	0	77	0	-	1050	-	pts/0	00:00:00	ps

```
/home/cis90/roddyduk $ jobs
```

```
[1]+  Running                  sleep 60 &
```

```
/home/cis90/roddyduk $ jobs
```

```
[1]+  Running                  sleep 60 &
```

```
/home/cis90/roddyduk $ jobs
```

```
[1]+  Done                     sleep 60
```

*Note sending a 18 signal or using the **bg** command will resume a stopped process*